



碧云天生物技术/Beyotime Biotechnology
订货热线: 400-168-3301或800-8283301
订货e-mail: order@beyotime.com
技术咨询: info@beyotime.com
网址: http://www.beyotime.com

细胞核蛋白与细胞浆蛋白抽提试剂盒

产品编号	产品名称	包装
P0027	细胞核蛋白与细胞浆蛋白抽提试剂盒	50次

产品简介:

- 在研究细胞时经常要研究细胞的不同组份, 而研究得最多的两个细胞组份就是细胞核和细胞浆。分离细胞核蛋白和细胞浆蛋白, 不仅可以用于研究蛋白在细胞内的定位, 而且很多时候分离出来的核蛋白可以用于转录调控方面的研究, 例如 EMSA(也称gel shift), footprinting等。
- 细胞核蛋白与细胞浆蛋白抽提试剂盒(Nuclear and Cytoplasmic Protein Extraction Kit)提供了一种比较简单、方便的从培养细胞或新鲜组织中抽提细胞核蛋白与细胞浆蛋白的方法。约90分钟就可以完成培养细胞的细胞核蛋白与细胞浆蛋白的分离。抽提得到的蛋白可以用于Western, EMSA, footprinting, 报告基因检测以及酶活力测定等后续操作。
- 本试剂盒是通过细胞浆蛋白抽提试剂A和B, 在低渗透压条件下, 使细胞充分膨胀, 然后破坏细胞膜, 释放出细胞浆蛋白, 然后通过离心得到细胞核沉淀。最后通过高盐的细胞核蛋白抽提试剂抽提得到细胞核蛋白。
- 对于细胞样品, 如果每个样品的数量不超过二百万个细胞, 本试剂盒可以抽提50个样品; 对于组织样品, 如果每个样品的重量不超过30毫克, 本试剂盒可以抽提50个样品, 如果每个样品约为30-60毫克, 本试剂盒可以抽提37个样品。

包装清单:

产品编号	产品名称	包装
P0027-1	细胞浆蛋白抽提试剂A	15ml
P0027-2	细胞浆蛋白抽提试剂B	0.5ml
P0027-3	细胞核蛋白抽提试剂	2.5ml
—	说明书	1份

保存条件:

-20°C保存, 一年有效。

注意事项:

- 需自备PMSF。PMSF一定要在抽提试剂加入到样品中前2-3分钟内加入, 以免PMSF在水溶液中很快失效。PMSF(ST506)可以向碧云天订购。
- 抽提蛋白的所有步骤都需在冰上或4°C进行。
- 本试剂盒对于组织样品, 仅适合于新鲜组织, 对冻存过的组织抽提效果很差。
- 使用本试剂盒抽提到的细胞核蛋白与细胞浆蛋白均可直接用碧云天生产的BCA蛋白浓度测定试剂盒(P0009/P0010/P0010S/P0011/P0012/P0012S)测定蛋白浓度。但不适合用Bradford法测定蛋白浓度。
- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用说明:

1. **准备溶液:** 室温融解试剂盒中的三种试剂, 溶解后立即放置在冰上, 混匀。取适当量的细胞浆蛋白抽提试剂A备用, 在使用前数分钟内加入PMSF, 使PMSF的最终浓度为1mM。取适当量的细胞核蛋白抽提试剂备用, 在使用前数分钟内加入PMSF, 使PMSF的最终浓度为1mM。
2. **对于贴壁细胞:** 用PBS洗一遍, 用细胞刮子刮下细胞, 或用EDTA溶液处理细胞使细胞不再贴壁很紧, 并用移液器吹打下细胞。离心收集细胞, 尽最大努力吸尽上清, 留下细胞沉淀备用。尽量避免用胰酶消化细胞, 以免胰酶降解需抽提的目的蛋白。
3. **对于悬浮细胞:** 用PBS洗一遍, 离心收集细胞, 尽最大努力吸尽上清, 留下细胞沉淀备用。
4. 每20微升细胞沉淀加入**200微升**添加了PMSF的细胞浆蛋白抽提试剂A。(对于二百万HeLa细胞, 其细胞沉淀的体积大约为20微升或40毫克。)
5. 最高速剧烈Vortex 5秒, 把细胞沉淀完全悬浮并分散开。(如果细胞沉淀没有完全悬浮并分散开, 可以适当延长vortex时间。)
6. 冰浴10-15分钟。
7. 加入细胞浆蛋白抽提试剂B **10微升**。最高速剧烈Vortex 5秒, 冰浴1分钟。
8. 最高速剧烈Vortex 5秒, 4°C 12,000-16,000g离心5分钟。
9. 立即吸取上清至一预冷的塑料管中, 即为抽提得到的细胞浆蛋白。可以立即使用, 也可以冻存。(千万不要触及沉淀, 可以

在沉淀上方保留极小体积的上清，以免触及沉淀。每200万细胞用200微升本产品中的细胞浆蛋白抽提试剂A裂解后可获得的上清，其细胞浆蛋白浓度约为2-5mg/ml，不同细胞有所不同。)

10. 对于沉淀，完全吸尽残余的上清，加入**50微升**添加了PMSF的细胞核蛋白抽提试剂。(不吸尽上清会带来细胞浆蛋白的污染。)
11. 最高速剧烈Vortex 15-30秒，把细胞沉淀完全悬浮并分散开。然后放回冰浴中，每隔1-2分钟再高速剧烈Vortex 15-30秒，共30分钟。
12. 4°C 12,000-16,000g离心10分钟。
13. 立即吸取上清至一预冷的塑料管中，即为抽提得到的细胞核蛋白。可以立即使用，也可以-70°C冻存。每200万细胞用50微升本产品中的细胞核蛋白抽提试剂裂解后获得的上清，其细胞核蛋白浓度约为1.2-3.0mg/ml，不同细胞有所不同。

14. 对于新鲜组织：

- a. 把组织尽可能切成非常细小的碎片。按照 20:1 的比例混合适量的细胞浆蛋白抽提试剂 A 和 B(例如 200 微升细胞浆蛋白抽提试剂 A 中加入 10 微升抽提试剂 B)。并加入 PMSF 至最终浓度为 1mM 配制成组织匀浆液。按照每 60mg 组织加入 200 微升组织匀浆液的比例混合组织和组织匀浆液(对于不超过 30mg 的组织样品，仅需加入 100 微升组织匀浆液)，并在玻璃匀浆器内充分匀浆。匀浆需在冰浴或 4°C 进行。
- b. 匀浆后把匀浆液转移到塑料离心管内，冰浴放置15分钟。
- c. 4°C 1,500g离心5分钟。把上清转移至一预冷的塑料管中，为抽提得到的部分细胞浆蛋白。(吸上清时千万不要触及沉淀。)
- d. 对于沉淀，到了这一步已经充分匀浆，但很多细胞还没有破碎。接下来按照使用说明书的步骤4开始操作，即把沉淀当做已经离心收集好的细胞沉淀操作，按照步骤4至步骤13抽提得到细胞浆蛋白和细胞核蛋白(**特别说明**：对于起始量为30-60mg的组织样品，后续直接按照步骤4-13操作即可；对于起始量不超过30mg的组织样品，后续步骤4-13中的溶液的用量须减半使用)。抽提得到的细胞浆蛋白可以和步骤14c中抽提得到的细胞浆蛋白合并。新鲜的肝脏组织用本产品裂解后获得的上清，其细胞浆蛋白浓度约为3-10mg/ml，细胞核蛋白浓度约为3-10mg/ml，不同状态的不同组织有所不同。

使用本产品的文献：

1. Guo NN, Li BM. Cellular and subcellular distributions of β 1- and β 2-adrenoceptors in the CA1 and CA3 regions of the rat hippocampus. *Neuroscience*. 2007 Apr 25;146(1):298-305.
2. Liu C, Wang Q, Guo H, Xia M, Yuan Q, Hu Y, Zhu H, Hou M, Ma J, Tang Z, Ling W. Plasma S-adenosylhomocysteine is a better biomarker of atherosclerosis than homocysteine in apo lipoprotein E-deficient mice fed high dietary methionine. *J Nutr*. 2008 Feb;138(2):311-5.
3. Lu J, Zhang F, Zhao D, Hong L, Min J, Zhang L, Li F, Yan Y, Li H, Ma Y, Li Q. ATRA-inhibited proliferation in glioma cells is associated with subcellular redistribution of beta-catenin via up-regulation of Axin. *J Neurooncol*. 2008 May;87(3):271-7.
4. Lu J, Yue BH, Wang CM, Bai ST, Sheng GY. Efficacy of RNAi-induced down-regulation of wild-type FLT3 on NF- κ B pathway in THP-1 cell line. *Life Science Journal*. 2008; 5(2):15-20.
5. Yuan Q, Li PD, Li BH, Yang XZ, Xu SB, Liu XH, Zhou FX, Zhang WJ. Differential IL-4/Stat6 activities correlate with differential expression of regulatory genes SOCS-1, SHP-1, and PP2A in colon cancer cells. *J Cancer Res Clin Oncol*. 2009 Jan;135(1):131-40.
6. Chen G, Shen X, Yao J, Chen F, Lin X, Qiao Y, You T, Lin F, Fang X, Zou X, Lin L. Ablation of NF- κ B expression by small interference RNA prevents the dysfunction of human umbilical vein endothelial cells induced by high glucose. *Endocrine*. 2009 Feb;35(1):63-74.
7. Wang J, Du XX, Jiang H, Xie JX. Curcumin attenuates 6-hydroxydopamine-induced cytotoxicity by anti-oxidation and nuclear factor- κ B modulation in MES23.5 cells. *Biochem Pharmacol*. 2009 Jul 15;78(2):178-83.
8. Li XY, He JL, Liu HT, Li WM, Yu C. Tetramethylpyrazine suppresses interleukin-8 expression in LPS-stimulated human umbilical vein endothelial cell by blocking ERK, p38 and nuclear factor- κ B signaling pathways. *J Ethnopharmacol*. 2009 Aug 17;125(1):83-9.
9. Chen Y, Wang J, Yao Y, Yuan W, Kong M, Lin Y, Geng D, Nie R. CRP regulates the expression and activity of tissue factor as well as tissue factor pathway inhibitor via NF- κ B and ERK 1/2 MAPK pathway. *FEBS Lett*. 2009 Sep 3;583(17):2811-8.
10. Yu M, Cai L, Liang M, Huang Y, Gao H, Lu S, Fei J, Huang F. Alteration of NRSF expression exacerbating 1-methyl-4-phenylpyridinium ion-induced cell death of SH-SY5Y cells. *Neurosci Res*. 2009 Nov; 65(3):236-44.
11. Xu H, Jiang H, Wang J, Xie J. Rg1 protects the MPP+-treated MES23.5 cells via attenuating DMT1 up-regulation and cellular iron uptake. *Neuropharmacology*. 2010 Feb;58(2):488-94.
12. Zhang ZW, Zhang QY, Zhou MT, Liu NX, Chen TK, Zhu YF, Wu L. Antioxidant inhibits HMGB1 expression and reduces pancreas injury in rats with severe acute pancreatitis. *Dig Dis Sci*. 2010;55(9):2529-36.
13. Hao XQ, Zhang HG, Yuan ZB, Yang DL, Hao LY, Li XH. Prenatal exposure to lipopolysaccharide alters the intrarenal renin-angiotensin system and renal damage in offspring rats. *Hypertens Res*. 2010;33(1):76-82.
14. Shi YQ, Wang YP, Song Y, Li HW, Liu CJ, Wu ZG, Yang KD. p,p'-DDE induces testicular apoptosis in prepubertal rats via the Fas/FasL pathway. *Toxicol Lett*. 2010;193(1):79-85.
15. Liu L, Xu H, Jiang H, Wang J, Song N, Xie J. Ghrelin prevents 1-methyl-4-phenylpyridinium ion-induced cytotoxicity through anti oxidation and NF- κ B modulation in MES23.5 cells. *Exp Neurol*. 2010;222(1):25-9.
16. Huang R, Chen XQ, Huang Y, Chen N, Zeng H. The multikinase inhibitor sorafenib induces caspase-dependent apoptosis in PC-3 prostate cancer cells. *Asian J Androl*. 2010;12(4):527-34.
17. Cao X, Xiao H, Zhang Y, Zou L, Chu Y, Chu X. 1, 5-Dicaffeoylquinic acid-mediated glutathione synthesis through activation of Nrf2 protects against OGD/reperfusion-induced oxidative stress in astrocytes. *Brain Res*. 2010;1347:142-8.
18. Liu HT, Du YG, He JL, Chen WJ, Li WM, Yang Z, Wang YX, Yu C. Tetramethylpyrazine inhibits production of nitric oxide and inducible nitric oxide synthase in lipopolysaccharide-induced N9 microglial cells through blockade of MAPK and PI3K/Akt signaling pathways, and suppression of intracellular reactive oxygen species. *J Ethnopharmacol*. 2010;129(3):335-43.
19. Longxi P, Buwu F, Yuan W, Sinan G. Expression of p53 in the effects of artesunate on induction of apoptosis and inhibition of proliferation in rat primary hepatic stellate cells. *PLoS One*. 2011;6(10):e26500.
20. Cao X, Zhou M, Wang C, Hou L, Zeng B. Lectin purified from *Musca domestica* pupa up-regulates NO and iNOS production via TLR4/NF- κ B signaling pathway in macrophages. *Int Immunopharmacol*. 2011 Apr;11(4):399-405.
21. Li C, Yu M, Sun Y, Wu Y, Huang C, Li F. A nonemissive iridium(III) complex that specifically lights-up the nuclei of living cells. *J Am Chem Soc*. 2011 Jul 27;133(29):11231-9.
22. Xu S, Zhao Y, Yu L, Shen X, Ding F, Fu G. Rosiglitazone attenuates endothelial progenitor cell apoptosis induced by TNF- α via ERK/MAPK and NF- κ B signal pathways. *J Pharmacol Sci*. 2011; 117(4):265-74.
23. Sun XG, Fu XQ, Cai HB, Liu Q, Li CH, Liu YW, Li YJ, Liu ZF, Song YH, Lv ZP. Proteomic analysis of protective effects of polysaccharides from *Salvia miltiorrhiza* against immunological liver injury in mice. *Phytother Res*. 2011 Jul;25(7):1087-94.
24. Xing ZB, Yao L, Zhang GQ, Zhang XY, Zhang YX, Pang D. Fangchinoline inhibits breast adenocarcinoma proliferation by inducing apoptosis. *Chem Pharm Bull (Tokyo)*. 2011;59(12):1476-80.
25. Liu HT, Huang P, Ma P, Liu QS, Yu C, Du YG. Chitosan oligosaccharides suppress LPS-induced IL-8 expression in human umbilical vein endothelial cells through blockade of p38 and Akt protein kinases. *Acta Pharmacol Sin*. 2011 Apr;32(4):478-86.
26. Luo H, Huang J, Liao WG, Huang QY, Gao YQ. The antioxidant effects of garlic saponins protect PC12 cells from hypoxia-induced damage. *Br J Nutr*. 2011 Apr;105(8):1164-72.
27. Yu PJ, Ci W, Wang GF, Zhang JY, Wu SY, Xu W, Jin H, Zhu ZG, Zhang JJ, Pang JX, Wu SG. Praeruptorin A inhibits lipopolysaccharide-induced inflammatory response in murine macrophages through inhibition of NF- κ B pathway activation. *Phytother Res*. 2011 Apr;25(4):550-6.
28. Chen G, Chen Y, Chen H, Li L, Yao J, Jiang Q, Lin X, Wen J, Lin L. The effect of NF- κ B pathway on proliferation and apoptosis of human umbilical vein endothelial cells induced by intermittent high glucose. *Mol Cell Biochem*. 2011 Jan;347(1-2):127-33.
29. Li J, Gong Q, Zhong S, Wang L, Guo H, Xiang Y, Ichim TE, Wang CY, Chen S, Gong F, Chen G. Neutralization of the extracellular HMGB1 released by ischaemic damaged renal cells protects against renal ischaemia-reperfusion injury. *Nephrol Dial Transplant*. 2011 Feb; 26(2):469-78.
30. Wang HQ, Xu YX, Zhu CQ. Up regulation of heme oxygenase-1 by acteoside through ERK and PI3 K/Akt pathway confer neuroprotection against

- beta-amyloid-induced neurotoxicity. *Neurotox Res.* 2012 May;21(4):368-78.
31. Zhu Y, Tian Y, Du J, Hu Z, Yang L, Liu J, Gu L. Dvl2-dependent activation of Daam1 and RhoA regulates Wnt5a-induced breast cancer cell migration. *PLoS One.* 2012;7(5):e37823.
 32. Wang YZ, Liang QH, Ramkalawan H, Zhang W, Zhou WB, Xiao B, Tian FF, Yang H, Li J, Zhang Y, Xu NA. Inactivation of TLR9 by a suppressive oligodeoxynucleotides can ameliorate the clinical signs of EAN. *Immunol Invest.* 2012;41(2):171-82.
 33. Li CC, Yang CZ, Li XM, Zhao XM, Zou Y, Fan L, Zhou L, Liu JC, Niu YC. Hydroxysafflor yellow A induces apoptosis in activated hepatic stellate cells through ERK1/2 pathway in vitro. *Eur J Pharm Sci.* 2012 Aug 15;46(5):397-404.
 34. Wu J, Zhou Q, Wang Y, Zhou X, Li J. MNT inhibits the migration of human hepatocellular carcinoma SMMC7721 cells. *Biochem Biophys Res Commun.* 2012 Feb 3;418(1):93-7.
 35. Liu Y, Zhou D, Zhang F, Tu Y, Xia Y, Wang H, Zhou B, Zhang Y, Wu J, Gao X, He Z, Zhai Q. Liver Ptt1 deficiency protects male mice from age-associated but not high-fat diet-induced hepatic steatosis. *J Lipid Res.* 2012 Mar;53(3):358-67.
 36. Wen JP, Liu C, Bi WK, Hu YT, Chen Q, Huang H, Liang JX, Li LT, Lin LX, Chen G. Adiponectin inhibits KISS1 gene transcription through AMPK and specificity protein-1 in the hypothalamic GT1-7 neurons. *J Endocrinol.* 2012 Aug;214(2):177-89.
 37. Li F, Jiang Z, Wang K, Guo J, Hu G, Sun L, Wang T, Tang X, He L, Yao J, Wen D, Qin X, Zhang L. Transactivation of the human NME5 gene by Sp1 in pancreatic cancer cells. *Gene.* 2012 Jul 25;503(2):200-7.
 38. Yang T, Luo F, Shen Y, An J, Li X, Liu X, Ying B, Liao Z, Dong J, Guo L, Wang T, Xu D, Chen L, Wen F. Quercetin attenuates airway inflammation and mucus production induced by cigarette smoke in rats. *Int Immunopharmacol.* 2012 May;13(1):73-81.
 39. Shi J, Yin N, Xuan LL, Yao CS, Meng AM, Hou Q. Vam3, a derivative of resveratrol, attenuates cigarette smoke-induced autophagy. *Acta Pharmacol Sin.* 2012 Jul;33(7):888-96.
 40. Wang C, Lu J, Wang Y, Bai S, Wang Y, Wang L, Sheng G. Combined effects of FLT3 and NF- κ B selective inhibitors on acute myeloid leukemia in vivo. *J Biochem Mol Toxicol.* 2012 Jan;26(1):35-43.
 41. Cao H, Hu Y, Wang P, Zhou J, Deng Z, Wen J. Down-regulation of Notch receptor signaling pathway induces caspase-dependent and caspase-independent apoptosis in lung squamous cell carcinoma cells. *APMIS.* 2012 Jun;120(6):441-50.
 42. Zhang Z, Zheng Z, Luo H, Meng J, Li H, Li Q, Zhang X, Ke X, Bai B, Mao P, Hu Q, Wang H. Human Bocavirus NP1 Inhibits IFN- β Production by Blocking Association of IFN Regulatory Factor 3 with IFN β Promoter. *J Immunol.* 2012 Aug 1;189(3):1144-53.
 43. Zhong X, Li W, Huang X, Zhang L, Yimamu M, Raiput N, Zhou Y, Wang T. Impairment of cellular immunity is associated with overexpression of heat shock protein 70 in neonatal pigs with intrauterine growth retardation. *Cell Stress Chaperones.* 2012 Jul;17(4):495-505.
 44. Wang Y, Ma C, Zhang H, Wu J. Novel protein pp3501 mediates the inhibitory effect of sodium butyrate on SH-SY5Y cell proliferation. *J Cell Biochem.* 2012 Aug;113(8):2696-703.
 45. Li R, Hou J, Xu Q, Liu QJ, Shen YJ, Rodin G, Li M. High level interleukin-6 in the medium of human pancreatic cancer cell culture suppresses production of neurotransmitters by PC12 cell line. *Metab Brain Dis.* 2012 Mar;27(1):91-100.
 46. Yang HY, Zhao L, Yang Z, Zhao Q, Qiang L, Ha J, Li ZY, You QD, Guo QL. Oroxoylin A reverses multi-drug resistance of human hepatoma BEL7402/5-FU cells via downregulation of P-glycoprotein expression by inhibiting NF- κ B signaling pathway. *Mol Carcinog.* 2012 Feb; 51(2):185-95.
 47. Wang H, Huang H, Li W, Jin X, Zeng J, Liu Y, Gu Y, Sun X, Wen G, Ding Y, Zhao L. Nuclear localization of 14-3-3epsilon inversely correlates with poor long-term survival of patients with colorectal cancer. *J Surg Oncol.* 2012 Sep 1;106(3):224-31.
 48. Wei P, Ma P, Xu QS, Bai QH, Gu JG, Xi H, Du YG, Yu C. Chitosan oligosaccharides suppress production of nitric oxide in lipopolysaccharide-induced N9 murine microglial cells in vitro. *Glycoconj J.* 2012 Aug;29(5-6):285-95.
 49. Yang Z, Gu P, Shao X, Li Z, Zhou Y, Lu L, Chou KY. Mutated major histocompatibility complex class II transactivator up-regulates interleukin-33-dependent differentiation of Th2 subset through Nod2 binding for NLR (NOD-like receptor) signaling initiation. *J Biol Chem.* 2012 Mar 23;287(13):9972-81.
 50. Wei M, Chu X, Jiang L, Yang X, Cai Q, Zheng C, Ci X, Guan M, Liu J, Deng X. Protocatechuic acid attenuates lipopolysaccharide-induced acute lung injury. *Inflammation.* 2012 Jun;35(3):1169-78.
 51. Zhang L, Jiang G, Yao F, He Y, Liang G, Zhang Y, Hu B, Wu Y, Li Y, Liu H. Growth inhibition and apoptosis induced by osthole, a natural coumarin, in hepatocellular carcinoma. *PLoS One.* 2012;7(5):e37865.
 52. Zhu G, Wang X, Wu S, Li Q. Involvement of activation of PI3K/Akt pathway in the protective effects of puerarin against MPP+ induced human neuroblastoma SH-SY5Y cell death. *Neurochem Int.* 2012 Mar;60(4):400-8.
 53. Li J, Shen L, Lu FR, Qin Y, Chen R, Li J, Li Y, Zhan HZ, He YQ. Plumbagin inhibits cell growth and potentiates apoptosis in human gastric cancer cells in vitro through the NF- κ B signaling pathway. *Acta Pharmacol Sin.* 2012 Feb;33(2):242-9.
 54. Shi F, Yang L, Kouadir M, Yang Y, Wang J, Zhou X, Yin X, Zhao D. The NALP3 inflammasome is involved in neurotoxic prion peptide-induced microglial activation. *J Neuroinflammation.* 2012 Jul 11;9:73.
 55. Shi JX, Su X, Xu J, Zhang WY, Shi Y. HuR post-transcriptionally regulates TNF- α -induced IL-6 expression in human pulmonary microvascular endothelial cells mainly via a tristetraprolin. *Respir Physiol Neurobiol.* 2012 Apr 30;181(2):154-61.
 56. Li J, Wang K, Chen X, Meng H, Song M, Wang Y, Xu X, Bai Y. Transcriptional activation of microRNA-34a by NF- κ B in human esophageal cancer cells. *BMC Mol Biol.* 2012 Jan 31;13:4.
 57. Zhang H, Zhang X, Wu X, Li W, Su P, Cheng H, Xiang L, Gao P, Zhou G. Interference of Frizzled 1 (FZD1) reverses multidrug resistance in breast cancer cells through the Wnt/ β -catenin pathway. *Cancer Lett.* 2012 Oct 1;323(1):106-13.
 58. Tang J, Guo YS, Zhang Y, Yu XL, Li L, Huang W, Li Y, Chen B, Jiang JL, Chen ZN. CD147 induces UPR to inhibit apoptosis and chemo sensitivity by increasing the transcription of Bip in hepatocellular carcinoma. *Cell Death Differ.* 2012 Nov;19(11):1779-90.
 59. Zhang Y, Lai Y, Chen HQ, Liu YF. AP-1 and NF- κ B transcriptionally regulate interleukin-8 in EA. Hy926 cells under shear stress. *Cell Biol Int.* 2012 Mar 1;36(3):251-4.
 60. Cao X, Zhou M, Wang C, Hou L, Li Y, Chen L. Musca domestica pupae lectin improves the immunomodulatory activity of macrophages by activating nuclear factor- κ B. *J Med Food.* 2012 Feb;15(2):145-51.
 61. Liang ZJ, Zhuang H, Wang GX, Li Z, Zhang HT, Yu TQ, Zhang BD. MiRNA-140 is a negative feedback regulator of MMP-13 in IL-1 β -stimulated human articular chondrocyte C28/I2 cells. *Inflamm Res.* 2012 May;61(5):503-9.
 62. Qin Y, Sun CY, Lu FR, Shu XR, Yang D, Chen L, She XM, Gregg NM, Guo T, Hu Y. Cardamonin exerts potent activity against multiple myeloma through blockade of NF- κ B pathway in vitro. *Leuk Res.* 2012 Apr;36(4):514-20.
 63. Gao Q, Qi L, Wu T, Wang J. An important role of interleukin-10 in counteracting excessive immune response in HT-29 cells exposed to Clostridium butyricum. *BMC Microbiol.* 2012 Jun 8;12:100.
 64. Wei W, Zhu Y, Wang J, Guo M, Li Y, Li J. Six-month feeding of low-dose fish oil decreases vascular expression of high mobility group box1 and receptor for advanced glycation end-products in rat chronic allograft vasculopathy. *Transplant Proc.* 2013 Jun;45(5):1771-5.
 65. Huang W, Liang Y, Tang J, Ding Y, Wang X. Antioxidant and anti-inflammatory effects of Astragalus polysaccharide on EA. hy926 cells. *Experimental and Therapeutic Medicine.* 2013 Jul; 6(1):199-203.
 66. Zhou W, Cao H, Yang X, Cong K, Wang W, Chen T, Yin H, Wu Z, Cai X, Liu T, Xiao J. Characterization of nuclear localization signal in the N terminus of integrin-linked kinase-associated phosphatase (ILKAP) and its essential role in the down-regulation of RSK2 protein signaling. *J Biol Chem.* 2013 Mar 1;288(9):6259-71.
 67. Li R, Zhang L, Shi W, Zhang B, Liang X, Liu S, Wang W. NFAT2 mediates high glucose-induced glomerular podocyte apoptosis through increased Bax expression. *Exp Cell Res.* 2013 Apr 15;319(7):992-1000.
 68. Zhou Z, Wang M, Zhao J, Wang L, Gao Y, Zhang H, Liu R, Song L. The increased transcriptional response and translocation of a Rel/NF- κ B homologue in scallop Chlamys farreri during the immune stimulation. *Fish Shellfish Immunol.* 2013 May;34(5):1209-15.
 69. Geng J, Xiao S, Zheng Z, Song S, Zhang L. Gambogic acid protects from endotoxin shock by suppressing pro-inflammatory factors in vivo and in vitro. *Inflamm Res.* 2013 Feb;62(2):165-72.
 70. Wu F, Wang Z, Gu JH, Ge JB, Liang ZQ, Qin ZH. p38MAPK/ p53-Mediated Bax induction contributes to neurons degeneration in rotenone-induced cellular and rat models of Parkinson's disease. *Neurochem Int.* 2013 May 25;63(3):133-140.
 71. Peng B, Zhao P, Lu YP, Chen MM, Sun H, Wu XM, Zhu L. Z-ligustilide activates the Nrf2/HO-1 pathway and protects against cerebral ischemia-reperfusion injury in vivo and in vitro. *Brain Res.* 2013 Jul 3;1520:168-77.
 72. Cong ZX, Wang HD, Wang JW, Zhou Y, Pan H, Zhang DD, Zhu L. ERK and PI3K signaling cascades induce Nrf2 activation and regulate cell viability partly through Nrf2 in human glioblastoma cells. *Oncol Rep.* 2013 Aug;30(2):715-22.
 73. Chen S, Lin G, Lei L, You X, Wu C, Xu W, Huang M, Luo L, Wang Z, Li Y, Zhao X, Yan F. Hyperlipidemia Modifies Innate Immune Responses to Lipopolysaccharide via the TLR-NF- κ B Signaling Pathway. *Inflammation.* 2013 Aug;36(4):968-76.
 74. Li X, Wang LK, Wang LW, Han XQ, Yang F, Gong ZJ. Cisplatin Protects against Acute Liver Failure by Inhibiting Nuclear HMGB1 Release. *Int J Mol Sci.* 2013 May 27;14(6):11224-37.
 75. Li XQ, Yang XL, Zhang G, Wu SP, Deng XB, Xiao SJ, Liu QZ, Yao KT, Xiao GH. Nuclear β -catenin accumulation is associated with increased expression of Nanog protein and predicts poor prognosis of non-small cell lung cancer. *J Transl Med.* 2013 May 6;11(1):114.
 76. Yu PJ, Li JR, Zhu ZG, Kong HY, Jin H, Zhang JY, Tian YX, Li ZH, Wu XY, Zhang JJ, Wu SG. Preruptorin D and E attenuate lipopolysaccharide/hydrochloric acid induced acute lung injury in mice. *Eur J Pharmacol.* 2013 Jun 15;710(1-3):39-48.
 77. Liang D, Sun Y, Shen Y, Li F, Song X, Zhou E, Zhao F, Liu Z, Fu Y, Guo M, Zhang N, Yang Z, Cao Y. Shikonin exerts anti-inflammatory effects in a murine model of lipopolysaccharide-induced acute lung injury by inhibiting the nuclear factor- κ B signaling pathway. *Int Immunopharmacol.* 2013 Aug;16(4):475-80.
 78. Zhao H, Wang SL, Qian L, Jin JL, Li H, Xu Y, Zhu XL. Diammonium glycyrrhizinate attenuates A β (1-42)-induced neuroinflammation and regulates

- MAPK and NF- κ B pathways in vitro and in vivo. *CNS Neurosci Ther.* 2013 Feb;19(2):117-24.
79. Zhang L, Wu H, Lu D, Li G, Sun C, Song H, Li J, Zhai T, Huang L, Hou C, Wang W, Zhou B, Chen S, Lu B, Zhang X. The costimulatory molecule B7-H4 promote tumor progression and cell proliferation through translocating into nucleus. *Oncogene.* 2013 Nov 14; 32(46):5347-58.
 80. He Q, Song N, Jia F, Xu H, Yu X, Xie J, Jiang H. Role of α -synuclein aggregation and the nuclear factor E2-related factor 2/heme oxygenase-1 pathway in iron-induced neurotoxicity. *Int J Biochem Cell Biol.* 2013 Jun;45(6):1019-30.
 81. Wang Y, Suo F, Liu J, Hu H, Xue M, Cheng W, Xuan Y, Yan S. Myocardial infarction induces sympathetic hyperinnervation via a nuclear factor- κ B-dependent pathway in rabbit hearts. *Neurosci Lett.* 2013 Feb 22;535:128-33.
 82. Xia Y, Chen J, Cao Y, Xu C, Li R, Pan Y, Chen X. Wedelolactone exhibits anti-fibrotic effects on human hepatic stellate cell line LX-2. *Eur J Pharmacol.* 2013 Jun 18;714(1-3):105-11.
 83. Xu TP, Shen H, Liu LX, Shu YQ. Plumbagin from *Plumbago Zeylanica* L. Induces Apoptosis in Human Non-small Cell Lung Cancer Cell Line through NF- κ B Inactivation. *Asian Pac J Cancer Prev.* 2013;14(4):2325-31.
 84. Wang X, Wang L, Guo S, Bao Y, Ma Y, Yan F, Xu K, Xu Z, Jin L, Lu D, Xu J, Wang JC. Hypermethylation reduces expression of tumor-suppressor PLZF and regulates proliferation and apoptosis in non-small-cell lung cancers. *FASEB J.* 2013 Oct;27(10):4194-203.
 85. Li J, Zhang S, Lu M, Chen Z, Chen C, Han L, Zhang M, Xu Y. Hydroxysafflor yellow A suppresses inflammatory responses of BV2 microglia after oxygen-glucose deprivation. *Neurosci Lett.* 2013 Feb 22;535:51-6.
 86. Ruan Q, Liu F, Gao Z, Kong D, Hu X, Shi D, Bao Z, Yu Z. The anti-inflammatory and hepatoprotective effects of huperzine A in D-galactose-treated rats. *Mech Ageing Dev.* 2013 Mar;134(3-4):89-97.
 87. Wang C, Ma W, Su Y. NF- κ B Pathway Contributes to Cadmium-Induced Apoptosis of Porcine Granulosa Cells. *Biol Trace Elem Res.* 2013 Jun;153(1-3):403-10.
 88. Gui J, Li Z, Zhou X. Dynamic change of TNIK in response to tumor necrosis factor alpha in a TRAF2-dependent manner. *Hum Cell.* 2013 Jun;26(2):67-72.
 89. Wang XQ, Hu GH, Kang HY, Shen Y, Hong SL. Significance of the IL-6 pathway in nasal polyposis in Chinese patients. *Asian Pac J Allergy Immunol.* 2013 Mar;31(1):11-9.
 90. Shi YC, Zhao H, Yin C, Zeng X, Zhang Q, Xu WP, Wei J, Chen F, Xie WF. C/EBP α inhibits hepatocellular carcinoma by reducing Notch3/Hes1/p27 cascades. *Dig Liver Dis.* 2013 Oct;45(10):844-51.
 91. Pang X, Wei Y, Zhang Y, Zhang M, Lu Y, Shen P. Peroxisome proliferator-activated receptor- γ activation inhibits hepatocellular carcinoma cell invasion by upregulating plasminogen activator inhibitor-1. *Cancer Sci.* 2013 Jun;104(6):672-80.
 92. Deng J, Zhao X, Rong L, Li X, Liu X, Qin Z. TNFR-1 on tumor cells contributes to the sensitivity of fibrosarcoma to chemotherapy. *Protein Cell.* 2013 May;4(5):393-401.
 93. Zou Y, Hong B, Fan L, Zhou L, Liu Y, Wu Q, Zhang X, Dong M. Protective effect of puerarin against beta-amyloid-induced oxidative stress in neuronal cultures from rat hippocampus: involvement of the GSK-3 β /Nrf2 signaling pathway. *Free Radic Res.* 2013 Jan;47(1):55-63.
 94. Wu F, Feng J, Qiu Y, Yu F, Zhang J, Zhou W, Yu F, Wang G, An L, Ni F, Wu H, Zhao X, Qin Y, Luo H. Activation of receptor for advanced glycation end products contributes to aortic remodeling and endothelial dysfunction in sinoaortic denervated rats. *Atherosclerosis.* 2013 Aug; 229(2):287-94.
 95. An S, Zang X, Yuan W, Zhuge Y, Yu Q. Neutrophil gelatinase-associated lipocalin (NGAL) may play a protective role against rats ischemia/reperfusion renal injury via inhibiting tubular epithelial cell apoptosis. *Ren Fail.* 2013;35(1):143-9.
 96. Xu X, Zhang L, Liang J. Rosuvastatin prevents pressure overload-induced myocardial hypertrophy via inactivation of the Akt, ERK1/2 and GATA4 signaling pathways in rats. *Mol Med Rep.* 2013 Aug;8(2):385-92.
 97. Zhou T, Li G, Cao B, Liu L, Cheng Q, Kong H, Shan C, Huang X, Chen J, Gao N. Downregulation of Mcl-1 through inhibition of translation contributes to benzyl isothiocyanate-induced cell cycle arrest and apoptosis in human leukemia cells. *Cell Death Dis.* 2013 Feb 28;4:e515.
 98. Wang YZ, Tian FF, Liu H, Zhang W, Li J, Xiao B, Zhou WB. Macrophage migration inhibitory factor is necessary for the lipo-oligosaccharide-induced response by modulation of Toll-like receptor 4 in monocytes from GBS patients. *J Neuroimmunol.* 2013 Apr 15;257(1-2):67-75.
 99. Huang X, Wu Z, Mei Y, Wu M. XIAP inhibits autophagy via XIAP-Mdm2-p53 signalling. *EMBO J.* 2013 Aug 14;32(16):2204-16.
 100. Kang J, Zhao G, Lin T, Tang S, Xu G, Hu S, Bi Q, Guo C, Sun L, Han S, Xu Q, Nie Y, Wang B, Liang S, Ding J, Wu K. A peptide derived from phage display library exhibits anti-tumor activity by targeting GRP78 in gastric cancer multidrug resistance cells. *Cancer Lett.* 2013 Oct 10;339(2):247-59.
 101. Ding K, Wang H, Xu J, Li T, Zhang L, Ding Y, Zhu L, He J, Zhou M. Melatonin stimulates antioxidant enzymes and reduces oxidative stress in experimental traumatic brain injury: the Nrf2-ARE signaling pathway as a potential mechanism. *Free Radic Biol Med.* 2014 Aug;73:1-11.
 102. Liu L, Wang P, Liu X, He D, Liang C, Yu Y. Exogenous NAD⁺ supplementation protects H9c2 cardiac myoblasts against hypoxia/reoxygenation injury via Sirt1-p53 pathway. *Fundam Clin Pharmacol.* 2014 Apr;28(2):180-9.
 103. Liu D, Qiu HM, Fei HZ, Hu XY, Xia HJ, Wang LJ, Qin LJ, Jiang XH, Zhou QX. Histone acetylation and expression of mono-aminergic transmitters synthetases involved in CUS-induced depressive rats. *Exp Biol Med (Maywood).* 2014 Mar;239(3):330-6.
 104. Shi Q, Cao J, Fang L, Zhao H, Liu Z, Ran J, Zheng X, Li X, Zhou Y, Ge D, Zhang H, Wang L, Ran Y, Fu J. Geniposide suppresses LPS-induced nitric oxide, PGE2 and inflammatory cytokine by downregulating NF- κ B, MAPK and AP-1 signaling pathways in macrophages. *Int Immunopharmacol.* 2014 Jun;20(2):298-306.
 105. Liu J, Xu D, Wang H, Zhang Y, Chang Y, Zhang J, Wang J, Li C, Liu H, Zhao M, Lin C, Zhan Q, Huang C, Qian H. The subcellular distribution and function of MTA1 in cancer differentiation. *Oncotarget.* 2014 Jul 15; 5(13):5153-64.
 106. Dai H, Jia G, Liu X, Liu Z, Wang H. Astragalus polysaccharide inhibits isoprenaline-induced cardiac hypertrophy via suppressing Ca²⁺-mediated calcineurin/NFATc3 and CaMKII signaling cascades. *Environ Toxicol Pharmacol.* 2014 Jul;38(1):263-71.
 107. Li Y, Huang L, Zeng X, Zhong G, Ying M, Huang M, Bi H. Down-regulation of P-gp expression and function after Mulberroside A treatment: potential role of protein kinase C and NF- κ B. *Chem Biol Interact.* 2014 Apr 25;213:44-50.
 108. Li C, Pan Z, Xu T, Zhang C, Wu Q, Niu Y. Puerarin induces the upregulation of glutathione levels and nuclear translocation of Nrf2 through PI3K/Akt/GSK-3 β signaling events in PC12 cells exposed to lead. *Neurotoxicol Teratol.* 2014 Sep 4;46C:1-9.
 109. Sun NX, Ye C, Zhao Q, Zhang Q, Xu C, Wang SB, Jin ZJ, Sun SH, Wang F, Li W. Long noncoding RNA-EBIC promotes tumor cell invasion by binding to EZH2 and repressing E-cadherin in cervical cancer. *PLoS One.* 2014 Jul 9;9(7):e100340.
 110. Quan J, Jin M, Xu H, Qiu D, Yin X. BRP, a polysaccharide fraction isolated from *Boschniakia rossica*, protects against galactosamine and lipopolysaccharide induced hepatic failure in mice. *J Clin Biochem Nutr.* 2014 May;54(3):181-9.
 111. Xiong SL, Liu X, Yi GH. High-density lipoprotein induces cyclooxygenase-2 expression and prostaglandin I-2 release in endothelial cells through sphingosine kinase-2. *Mol Cell Biochem.* 2014 Apr; 389(1-2):197-207.
 112. Zhao X, He L, Li T, Lu Y, Miao Y, Liang S, Guo H, Bai M, Xie H, Luo G, Zhou L, Shen G, Guo C, Bai F, Sun S, Wu K, Nie Y, Fan D. SRF expedites metastasis and modulates the epithelial to mesenchymal transition by regulating miR-199a-5p expression in human gastric cancer. *Cell Death Differ.* 2014 Dec;21(12):1900-13.
 113. Chu C, He W, Kuang Y, Ren K, Gou X. Celastrol protects kidney against ischemia-reperfusion-induced injury in rats. *J Surg Res.* 2014 Jan; 186(1):398-407.
 114. Yang P, Li Z, Fu R, Wu H, Li Z. Pyruvate kinase M2 facilitates colon cancer cell migration via the modulation of STAT3 signalling. *Cell Signal.* 2014 Sep;26(9):1853-62.
 115. Li L, Zhao F, Lu J, Li T, Yang H, Wu C, Liu Y. Notch-1 signaling promotes the malignant features of human breast cancer through NF- κ B activation. *PLoS One.* 2014 Apr 23;9(4):e95912.
 116. Zhang X, Jiang H, Gong Q, Fan C, Huang Y, Ling J. Expression of high mobility group box 1 in inflamed dental pulp and its chemotactic effect on dental pulp cells. *Biochem Biophys Res Commun.* 2014 Aug 8; 450(4):1547-52.
 117. He X, Pu G, Tang R, Zhang D, Pan W. Activation of nuclear factor kappa B in the hepatic stellate cells of mice with schistosomiasis japonica. *PLoS One.* 2014 Aug 12;9(8):e104323.
 118. Huang X, Xie Z, Liu F, Han C, Zhang D, Wang D, Bao X, Sun J, Wen C, Fan Y. Dihydroartemisinin inhibits activation of the Toll-like receptor 4 signaling pathway and production of type I interferon in spleen cells from lupus-prone MRL/lpr mice. *Int Immunopharmacol.* 2014 Sep; 22(1):266-72.
 119. Zhu Z, Liu Y, Li K, Liu J, Wang H, Sun B, Xiong Z, Jiang H, Zheng J, Hu Z. Protein tyrosine phosphatase receptor U (PTPRU) is required for glioma growth and motility. *Carcinogenesis.* 2014 Aug;35(8):1901-10.
 120. Guan Y, Guo L, Yang E, Liao Y, Liu L, Che Y, Zhang Y, Wang L, Wang J, Li Q. HSV-1 nucleocapsid egress mediated by UL31 in association with UL34 is impeded by cellular transmembrane protein 140. *Virology.* 2014 Sep;464-465:1-10.
 121. Gao LN, Zhang Y, Cui YL, Yan K. Evaluation of genipin on human cytochrome P450 isoenzymes and P-glycoprotein in vitro. *Fitoterapia.* 2014 Oct;98:130-6.
 122. Jian C, Li C, Ren Y, He Y, Li Y, Feng X, Zhang G, Tan Y. Hypoxia augments lipopolysaccharide-induced cytokine expression in periodontal ligament cells. *Inflammation.* 2014 Oct;37(5):1413-23.
 123. Zhu X, Wang Z, Hu C, Li Z, Hu J. Honokiol suppresses TNF- α -induced migration and matrix metalloproteinase expression by blocking NF- κ B activation via the ERK signaling pathway in rat aortic smooth muscle cells. *Acta Histochem.* 2014 May;116(4):588-95.
 124. Shi JX, Li JS, Hu R, Shi Y, Su X, Li Q, Zhang F. CNOT7/hCAF1 is involved in ICAM-1 and IL-8 regulation by tristetraprolin. *Cell Signal.* 2014 Nov;26(11):2390-6.
 125. Xu J, Wang H, Ding K, Zhang L, Wang C, Li T, Wei W, Lu X. Luteolin provides neuroprotection in models of traumatic brain injury via the Nrf2-ARE pathway. *Free Radic Biol Med.* 2014 Jun;71:186-95.
 126. Liu Y, Zhu Z, Xiong Z, Zheng J, Hu Z, Qiu J. Knockdown of protein tyrosine phosphatase receptor U inhibits growth and motility of gastric cancer cells. *Int J Clin Exp Pathol.* 2014 Aug 15;7(9):5750-61.
 127. Huang H, Hu G, Wang C, Xu H, Chen X, Qian A. Cepharanthine, an alkaloid from *Stephania cepharantha* Hayata, inhibits the inflammatory response in the RAW264.7 cell and mouse models. *Inflammation.* 2014 Feb;37(1):235-46.
 128. Wang D, Ma Y, Yang X, Xu X, Zhao Y, Zhu Z, Wang X, Deng H, Li C, Gao F, Tong J, Yamanaka K, An Y. Hypermethylation of the Keap1 gene inactivates its function, promotes Nrf2 nuclear accumulation, and is involved in arsenite-induced human

- keratinocyte transformation. *Free Radic Biol Med*. 2015 Dec;89:209-19.
129. Yang F, Li J, Zhu J, Wang D, Chen S, Bai X. Hydroxysafflor yellow A inhibits angiogenesis of hepatocellular carcinoma via blocking ERK/MAPK and NF- κ B signaling pathway in H22 tumor-bearing mice. *Eur J Pharmacol*. 2015 May 5; 754:105-14.
 130. Yang P, Li Z, Li H, Lu Y, Wu H, Li Z. Pyruvate kinase M2 accelerates pro-inflammatory cytokine secretion and cell proliferation induced by lipopolysaccharide in colorectal cancer. *Cell Signal*. 2015 Jul; 27(7):1525-32.
 131. Yang X, Wang D, Ma Y, Xu X, Zhu Z, Wang X, Deng H, Li C, Chen M, Tong J, Yamanaka K, An Y. Continuous activation of Nrf2 and its target antioxidant enzymes leads to arsenite-induced malignant transformation of human bronchial epithelial cells. *Toxicol Appl Pharmacol*. 2015 Dec 1;289(2):231-9.
 132. Du M, Zhang J, Xu D, Li W, Liu J, Liu F. Inhibition of pro collagen I expression by oxymatrine in hepatic stellate cells is mediated via nuclear translocation of Y box binding protein 1. *Mol Med Rep*. 2015 Dec; 12(6):8101-6.
 133. Yu C, Cui S, Zong C, Gao W, Xu T, Gao P, Chen J, Qin D, Guan Q, Liu Y, Fu Y, Li X, Wang X. The Orphan Nuclear Receptor NR4A1 Protects Pancreatic β -Cells from Endoplasmic Reticulum (ER) Stress-mediated Apoptosis. *J Biol Chem*. 2015 Aug 21;290(34):20687-99.
 134. Ma MM, Li Y, Liu XY, Zhu WW, Ren X, Kong GQ, Huang X, Wang LP, Luo LQ, Wang XZ. Cyanidin-3-O-Glucoside Ameliorates Lipopolysaccharide-Induced Injury Both In Vivo and In Vitro Suppression of NF- κ B and MAPK Pathways. *Inflammation*. 2015 Aug;38(4):1669-82.
 135. Cao J, Lin C, Wang H, Wang L, Zhou N, Jin Y, Liao M, Zhou J. Circovirus transport proceeds via direct interaction of the cytoplasmic dynein IC1 subunit with the viral capsid protein. *J Virol*. 2015 Mar;89(5):2777-91.
 136. Fan YT, Yin GJ, Xiao WQ, Qiu L, Yu G, Hu YL, Xing M, Wu DQ, Cang XF, Wan R, Wang XP, Hu GY. Rosmarinic Acid Attenuates Sodium Taurocholate-Induced Acute Pancreatitis in Rats by Inhibiting Nuclear Factor- κ B Activation. *Am J Chin Med*. 2015;43(6):1117-35.
 137. Wang Y, Xu X, Wang HB, Wu D, Li XO, Peng Q, Liu N, Sun WC. 17-Hydroxy-jolkinolide A inhibits osteoclast differentiation through suppressing the activation of NF- κ B and MAPKs. *Int Immunopharmacol*. 2015 Dec;29(2):513-20.
 138. Dong H, Li R, Yu C, Xu T, Zhang X, Dong M. Paeoniflorin inhibition of 6-hydroxydopamine-induced apoptosis in PC12 cells via suppressing reactive oxygen species-mediated PKC δ /NF- κ B pathway. *Neuroscience*. 2015 Jan 29; 285:70-80.
 139. Liu J, Sha M, Wang Q, Ma Y, Geng X, Gao Y, Feng L, Shen Y, Shen Y. Small ubiquitin-related modifier 2/3 interacts with p65 and stabilizes it in the cytoplasm in HBV-associated hepatocellular carcinoma. *BMC Cancer*. 2015 Oct 12;15:675.
 140. Ren D, Wei F, Hu L, Yang S, Wang C, Yuan X. Phosphorylation of Runx, induced by cyclic mechanical tension via ERK1/2 pathway, contributes to osteodifferentiation of human periodontal ligament fibroblasts. *J Cell Physiol*. 2015 Oct; 230(10):2426-36.
 141. Zheng T, Chou J, Zhang F, Liu Y, Ni H, Li X, Zheng L, Tang T, Jin L, Xi T. CXCR4 3'UTR functions as a ceRNA in promoting metastasis, proliferation and survival of MCF-7 cells by regulating miR-146a activity. *Eur J Cell Biol*. 2015 Oct;94(10):458-69.
 142. Zheng YB, Xiao GC, Tong SL, Ding Y, Wang QS, Li SB, Hao ZN. Paeoniflorin inhibits human gastric carcinoma cell proliferation through up-regulation of microRNA-124 and suppression of PI3K/Akt and STAT3 signaling. *World J Gastroenterol*. 2015 Jun 21; 21(23):7197-207.
 143. Yu Y, Li S, Liu Y, Tian G, Yuan Q, Bai F, Wang W, Zhang Z, Ren G, Zhang Y, Li D. Fibroblast growth factor 21 (FGF21) ameliorates collagen-induced arthritis through modulating oxidative stress and suppressing nuclear factor-kappa B pathway. *Int Immunopharmacol*. 2015 Mar;25(1):74-82.
 144. Chai F, Li HY, Wang W, Zhu XJ, Li Y, Wang S, Guo L, Zhang LK, Xiao G. Subcellular quantitative proteomic analysis reveals host proteins involved in human cytomegalovirus infection. *Biochim Biophys Acta*. 2015 Aug; 1854(8):967-78.
 145. Liu SJ, Yin CX, Ding MC, Wang YZ, Wang H. Berberine inhibits tumor necrosis factor- α -induced expression of inflammatory molecules and activation of nuclear factor- κ B via the activation of AMPK in vascular endothelial cells. *Mol Med Rep*. 2015 Oct;12(4):5580-6.
 146. Qian C, Liu F, Ye B, Zhang X, Liang Y, Yao J. Notch4 promotes gastric cancer growth through activation of Wnt1/ β -catenin signaling. *Mol Cell Biochem*. 2015 Mar;401(1-2):165-74.
 147. Li J, He X, Wei W, Zhou X. MicroRNA-194 promotes osteoblast differentiation via down regulating STAT1. *Biochem Biophys Res Commun*. 2015 May 1;460(2):482-8.
 148. Liang C, Wang Z, Li YY, Yu BH, Zhang F, Li HY. miR-33a suppresses the nuclear translocation of β -catenin to enhance gemcitabine sensitivity in human pancreatic cancer cells. *Tumour Biol*. 2015 Dec; 36(12):9395-403.
 149. Liu L, Shang Y, Li M, Han X, Wang J, Wang J. Curcumin ameliorates asthmatic airway inflammation by activating nuclear factor-E2-related factor 2/haem oxygenase (HO)-1 signalling pathway. *Clin Exp Pharmacol Physiol*. 2015 May;42(5):520-9.
 150. Lv Y, Zhang Z, Hou L, Zhang L, Zhang J, Wang Y, Liu C, Xu P, Liu L, Gai X, Lu T. Phytic acid attenuates inflammatory responses and the levels of NF- κ B and p-ERK in MPTP-induced Parkinson's disease model of mice. *Neurosci Lett*. 2015 Jun 15;597:132-6.
 151. Guan H, Mi B, Li Y, Wu W, Tan P, Fang Z, Li J, Zhang Y, Li F. Decitabine represses osteoclastogenesis through inhibition of RANK and NF- κ B. *Cell Signal*. 2015 May;27(5):969-77.
 152. Cui ZW, Xie ZX, Wang BF, Zhong ZH, Chen XY, Sun YH, Sun QF, Yang GY, Bian LG. Carvacrol protects neuroblastoma SH-SY5Y cells against Fe(2+)-induced apoptosis by suppressing activation of MAPK/JNK- NF- κ B signaling pathway. *Acta Pharmacol Sin*. 2015 Dec; 36(12):1426-36.
 153. Yan H, Xin S, Wang H, Ma J, Zhang H, Wei H. Baicalein inhibits MMP-2 expression in human ovarian cancer cells by suppressing the p38 MAPK-dependent NF- κ B signaling pathway. *Anticancer Drugs*. 2015 Jul;26(6):649-56.
 154. Li D, Wang X, Lan X, Li Y, Liu L, Yi J, Li J, Sun Q, Wang Y, Li H, Zhong N, Holmdahl R, Lu S. Down-regulation of miR-144 elicits proinflammatory cytokine production by targeting toll-like receptor 2 in nonalcoholic steatohepatitis of high-fat-diet-induced metabolic syndrome E3 rats. *Mol Cell Endocrinol*. 2015 Feb 15;402:1-12.
 155. Zhang H, Jing X, Wu X, Hu J, Zhang X, Wang X, Su P, Li W, Zhou G. Suppression of multidrug resistance by rosiglitazone treatment in human ovarian cancer cells through downregulation of FZD1 and MDR1 genes. *Anticancer Drugs*. 2015 Aug;26(7):706-15.
 156. Wang T, Chen Z, Zhu Y, Pan Q, Liu Y, Qi X, Jin L, Jin J, Ma X, Hua D. Inhibition of transient receptor potential channel 5 reverses 5-Fluorouracil resistance in human colorectal cancer cells. *J Biol Chem*. 2015 Jan 2;290(1):448-56.
 157. Xu C, Zhou Q, Liu L, Liu P, Pei G, Zeng R, Han M, Xu G. Cdc42-Interacting Protein 4 Represses E-Cadherin Expression by Promoting β -Catenin Translocation to the Nucleus in Murine Renal Tubular Epithelial Cells. *Int J Mol Sci*. 2015 Aug 14;16(8):19170-83.
 158. Chen B, Wu Z, Xu J, Xu Y. Calreticulin Binds to Fas Ligand and Inhibits Neuronal Cell Apoptosis Induced by Ischemia-Reperfusion Injury. *Biomed Res Int*. 2015;2015:895284.
 159. Tang J, Guo F, Du Y, Liu X, Qin Q, Liu X, Yin T, Jiang L, Wang Y. Continuous exposure of non-small cell lung cancer cells with wild-type EGFR to an inhibitor of EGFR tyrosine kinase induces chemoresistance by activating STAT. *Int J Oncol*. 2015 May;46(5):2083-95.
 160. Liu QL, Zhang J, Liu X, Gao JY. Role of growth hormone in maturation and activation of dendritic cells via miR-200a and the Keap1/Nrf2 pathway. *Cell Prolif*. 2015 Oct;48(5):573-81.
 161. Lv R, Mao N, Wu J, Lu C, Ding M, Gu X, Wu Y, Shi Z. Neuroprotective effect of allixin in a rat model of acute spinal cord injury. *Life Sci*. 2015 Dec 15;143:114-23.
 162. Zhuang Y, Lu Y, Li D, Sun N, Ju X. Upregulation of AIOLOS induces apoptosis and enhances etoposide chemosensitivity in Jurkat leukemia cells. *Oncol Rep*. 2015 Mar;33(3):1319-25.
 163. Zou Y, Wang R, Guo H, Dong M. Phytoestrogen β -Ecdysterone Protects PC12 Cells Against MPP+-Induced Neurotoxicity In Vitro: Involvement of PI3K-Nrf2-Regulated Pathway. *Toxicol Sci*. 2015 Sep;147(1):28-38.
 164. Li L, Li T, Zhang Y, Pan Z, Wu B, Huang X, Zhang Y, Mei Y, Ge L, Shen G, Ge RS, Zhu D, Lou Y. Peroxisome proliferator-activated receptor β / δ activation is essential for modulating p-Foxo1/Foxo1 status in functional insulin-positive cell differentiation. *Cell Death Dis*. 2015 Apr 9;6:e1715.
 165. Xu W, Zhao Y, Zhang B, Xu B, Yang Y, Wang Y, Liu C. Wnt3a Mediates the Inhibitory Effect of Hyperoxia on the Transdifferentiation of AECIIs to AECIs. *J Histochem Cytochem*. 2015 Nov;63(11):879-91.
 166. Yu Y, Bai F, Wang W, Liu Y, Yuan Q, Qu S, Zhang T, Tian G, Li S, Li D, Ren G. Fibroblast growth factor 21 protects mouse brain against d-galactose induced aging via suppression of oxidative stress response and advanced glycation end products formation. *Pharmacol Biochem Behav*. 2015 Jun;133:122-31.
 167. Yang C, Gong X, Ai Q, Ge P, Lin L, Zhang L. 5-Aminoimidazole-4-carboxamide-1- β -d-ribofuranoside alleviated carbon tetrachloride- induced acute hepatitis in mice. *Int Immunopharmacol*. 2015 Apr; 25(2):393-9.
 168. Liu J, Wang H, Ma F, Xu D, Chang Y, Zhang J, Wang J, Zhao M, Lin C, Huang C, Qian H, Zhan Q. MTA1 regulates higher-order chromatin structure and histone H1-chromatin interaction in-vivo. *Mol Oncol*. 2015 Jan;9(1):218-35.
 169. Yan X, Wu L, Li B, Meng X, Dai H, Zheng Y, Fu J. Cyanidin-3- O-glucoside attenuates acute lung injury in sepsis rats. *J Surg Res*. 2015 Dec;199(2):592-600.
 170. Wang S, Zhang X, Yuan Y, Tan M, Zhang L, Xue X, Yan Y, Han L, Xu Z. BRG1 expression is increased in thoracic aortic aneurysms and regulates proliferation and apoptosis of vascular smooth muscle cells through the long non-coding RNA HIF1A-AS1 in vitro. *Eur J Cardiothorac Surg*. 2015 Mar;47(3):439-46.
 171. Zhou R, Wu X, Wang Z, Ge J, Chen F. Interleukin-6 enhances acid-induced apoptosis via upregulating acid-sensing ion channel 1a expression and function in rat articular chondrocytes. *Int Immunopharmacol*. 2015 Dec;29(2):748-60.
 172. Ren D, Wei F, Hu L, Yang S, Wang C, Yuan X. Phosphorylation of Runx, induced by cyclic mechanical tension via ERK1/2 pathway, contributes to osteodifferentiation of human periodontal ligament fibroblasts. *J Cell Physiol*. 2015 Oct;230(10):2426-36.
 173. Zheng T, Chou J, Zhang F, Liu Y, Ni H, Li X, Zheng L, Tang T, Jin L, Xi T. CXCR4 3'UTR functions as a ceRNA in promoting metastasis, proliferation and survival of MCF-7 cells by regulating miR-146a activity. *Eur J Cell Biol*. 2015 Oct;94(10):458-69.
 174. Zheng YB, Xiao GC, Tong SL, Ding Y, Wang QS, Li SB, Hao ZN. Paeoniflorin inhibits human gastric carcinoma cell proliferation through up-regulation of microRNA-124 and suppression of PI3K/Akt and STAT3 signaling. *World J Gastroenterol*. 2015 Jun 21;21(23):7197-207.
 175. Yu Y, Li S, Liu Y, Tian G, Yuan Q, Bai F, Wang W, Zhang Z, Ren G, Zhang Y, Li D.

- Fibroblast growth factor 21 (FGF21) ameliorates collagen-induced arthritis through modulating oxidative stress and suppressing nuclear factor-kappa B pathway. *Int Immunopharmacol.* 2015 Mar;25(1):74-82.
176. Chai F, Li HY, Wang W, Zhu XJ, Li Y, Wang S, Guo L, Zhang LK, Xiao G. Subcellular quantitative proteomic analysis reveals host proteins involved in human cytomegalovirus infection. *Biochim Biophys Acta.* 2015 Aug;1854(8):967-78.
177. Liu SJ, Yin CX, Ding MC, Wang YZ, Wang H. Berberine inhibits tumor necrosis factor- α -induced expression of inflammatory molecules and activation of nuclear factor- κ B via the activation of AMPK in vascular endothelial cells. *Mol Med Rep.* 2015 Oct;12(4):5580-6.
178. Qian C, Liu F, Ye B, Zhang X, Liang Y, Yao J. Notch4 promotes gastric cancer growth through activation of Wnt1/ β -catenin signaling. *Mol Cell Biochem.* 2015 Mar;401(1-2):165-74.
179. Li J, He X, Wei W, Zhou X. MicroRNA-194 promotes osteoblast differentiation via downregulating STAT1. *Biochem Biophys Res Commun.* 2015 May 1; 460(2):482-8.
180. Liang C, Wang Z, Li YY, Yu BH, Zhang F, Li HY. miR-33a suppresses the nuclear translocation of β -catenin to enhance gemcitabine sensitivity in human pancreatic cancer cells. *Tumour Biol.* 2015 Dec; 36(12):9395-403.
181. Liu L, Shang Y, Li M, Han X, Wang J, Wang J. Curcumin ameliorates asthmatic airway inflammation by activating nuclear factor-E2-related factor 2/haem oxygenase (HO)-1 signalling pathway. *Clin Exp Pharmacol Physiol.* 2015 May;42(5):520-9.
182. Liu H, Wang J, Wang J, Wang P, Xue Y. Paeoniflorin attenuates $\text{A}\beta$ 1-42-induced inflammation and chemotaxis of microglia in vitro and inhibits NF- κ B- and VEGF/Flt-1 signaling pathways. *Brain Res.* 2015 Aug 27;1618:149-58.
183. Lv Y, Zhang Z, Hou L, Zhang L, Zhang J, Wang Y, Liu C, Xu P, Liu L, Gai X, Lu T. Phytic acid attenuates inflammatory responses and the levels of NF- κ B and p-ERK in MPTP-induced Parkinson's disease model of mice. *Neurosci Lett.* 2015 Jun 15;597:132-6.
184. Guan H, Mi B, Li Y, Wu W, Tan P, Fang Z, Li J, Zhang Y, Li F. Decitabine represses osteoclastogenesis through inhibition of RANK and NF- κ B. *Cell Signal.* 2015 May;27(5):969-77.
185. Cui ZW, Xie ZX, Wang BF, Zhong ZH, Chen XY, Sun YH, Sun QF, Yang GY, Bian LG. Carvacrol protects neuroblastoma SH-SY5Y cells against Fe(2+)-induced apoptosis by suppressing activation of MAPK/JNK-NF- κ B signaling pathway. *Acta Pharmacol Sin.* 2015 Dec; 36(12):1426-36.
186. Yan H, Xin S, Wang H, Ma J, Zhang H, Wei H. Baicalein inhibits MMP-2 expression in human ovarian cancer cells by suppressing the p38 MAPK-dependent NF- κ B signaling pathway. *Anticancer Drugs.* 2015 Jul;26(6):649-56.
187. Li D, Wang X, Lan X, Li Y, Liu L, Yi J, Li J, Sun Q, Wang Y, Li H, Zhong N, Holmdahl R, Lu S. Down-regulation of miR-144 elicits proinflammatory cytokine production by targeting toll-like receptor 2 in nonalcoholic steatohepatitis of high-fat-diet-induced metabolic syndrome E3 rats. *Mol Cell Endocrinol.* 2015 Feb 15;402:1-12.
188. Zhang H, Jing X, Wu X, Hu J, Zhang X, Wang X, Su P, Li W, Zhou G. Suppression of multidrug resistance by rosiglitazone treatment in human ovarian cancer cells through downregulation of FZD1 and MDR1 genes. *Anticancer Drugs.* 2015 Aug;26(7):706-15.
189. Wang T, Chen Z, Zhu Y, Pan Q, Liu Y, Qi X, Jin L, Jin J, Ma X, Hua D. Inhibition of transient receptor potential channel 5 reverses 5-Fluorouracil resistance in human colorectal cancer cells. *J Biol Chem.* 2015 Jan 2;290(1):448-56.
190. Xu C, Zhou Q, Liu L, Liu P, Pei G, Zeng R, Han M, Xu G. Cdc42-Interacting Protein 4 Represses E-Cadherin Expression by Promoting β -Catenin Translocation to the Nucleus in Murine Renal Tubular Epithelial Cells. *Int J Mol Sci.* 2015 Aug 14;16(8):19170-83.
191. Chen B, Wu Z, Xu J, Xu Y. Calreticulin Binds to Fas Ligand and Inhibits Neuronal Cell Apoptosis Induced by Ischemia-Reperfusion Injury. *Biomed Res Int.* 2015;2015:895284.
192. Tang J, Guo F, Du Y, Liu X, Qin Q, Liu X, Yin T, Jiang L, Wang Y. Continuous exposure of non-small cell lung cancer cells with wild-type EGFR to an inhibitor of EGFR tyrosine kinase induces chemoresistance by activating STAT. *Int J Oncol.* 2015 May;46(5):2083-95.
193. Liu QL, Zhang J, Liu X, Gao JY. Role of growth hormone in maturation and activation of dendritic cells via miR-200a and the Keap1/Nrf2 pathway. *Cell Prolif.* 2015 Oct;48(5):573-81.
194. Lv R, Mao N, Wu J, Lu C, Ding M, Gu X, Wu Y, Shi Z. Neuroprotective effect of allicin in a rat model of acute spinal cord injury. *Life Sci.* 2015 Dec 15;143:114-23.
195. Zhao H, Zheng Q, Hu X, Shen H, Li F. Betulin attenuates kidney injury in septic rats through inhibiting TLR4/NF- κ B signaling pathway. *Life Sci.* 2015 Dec 2. pii: S0024-3205(15)30096-5.
196. Zhuang Y, Lu Y, Li D, Sun N, Ju X. Upregulation of AIOLOS induces apoptosis and enhances etoposide chemosensitivity in Jurkat leukemia cells. *Oncol Rep.* 2015 Mar;33(3):1319-25.
- Heme Oxygenase-1 Modulation. *Inflammation.* 2016 Apr;39(2):651-62.
220. Yan X, Wu L, Li B, Meng X, Dai H, Zheng Y, Fu J. Cyanidin-3-O-glucoside Induces Apoptosis and Inhibits Migration of Tumor Necrosis Factor- α -Treated Rat Aortic Smooth Muscle Cells. *Cardiovasc Toxicol.* 2016 Jul ;16(3):251-9.
221. Wang ZM, Kang YH, Yang X, Wang JF, Zhang Q, Yang BX, Zhao KL, Xu LP, Yang LP, Ma JX, Huang GH, Cai J, Sun XC. Andrographolide radiosensitizes human esophageal cancer cell line ECA109 to radiation invitro. *Dis Esophagus.* 2016
197. Zou Y, Wang R, Guo H, Dong M. Phytoestrogen β -Ecdysterone Protects PC12 Cells Against MPP+ -Induced Neurotoxicity In Vitro: Involvement of PI3K-Nrf2-Regulated Pathway. *Toxicol Sci.* 2015 Sep;147(1):28-38.
198. Li L, Li T, Zhang Y, Pan Z, Wu B, Huang X, Zhang Y, Mei Y, Ge L, Shen G, Ge RS, Zhu D, Lou Y. Peroxisome proliferator-activated receptor β / δ activation is essential for modulating p-Foxo1/Foxo1 status in functional insulin-positive cell differentiation. *Cell Death Dis.* 2015 Apr 9;6:e1715.
199. Xu W, Zhao Y, Zhang B, Xu B, Yang Y, Wang Y, Liu C. Wnt3a Mediates the Inhibitory Effect of Hyperoxia on the Transdifferentiation of AECIIs to AECIs. *J Histochem Cytochem.* 2015 Nov;63(11):879-91.
200. Yu Y, Bai F, Wang W, Liu Y, Yuan Q, Qu S, Zhang T, Tian G, Li S, Li D, Ren G. Fibroblast growth factor 21 protects mouse brain against d-galactose induced aging via suppression of oxidative stress response and advanced glycation end products formation. *Pharmacol Biochem Behav.* 2015 Jun;133:122-31.
201. Yang C, Gong X, Ai Q, Ge P, Lin L, Zhang L. 5-Aminoimidazole-4-carboxamide-1- β -d-ribofuranoside alleviated carbon tetrachloride- induced acute hepatitis in mice. *Int Immunopharmacol.* 2015 Apr; 25(2):393-9.
202. Liu J, Wang H, Ma F, Xu D, Chang Y, Zhang J, Wang J, Zhao M, Lin C, Huang C, Qian H, Zhan Q. MTA1 regulates higher-order chromatin structure and histone H1-chromatin interaction in-vivo. *Mol Oncol.* 2015 Jan;9(1):218-35.
203. Yan X, Wu L, Li B, Meng X, Dai H, Zheng Y, Fu J. Cyanidin-3- O-glucoside attenuates acute lung injury in sepsis rats. *J Surg Res.* 2015 Dec;199(2):592-600.
204. Wang S, Zhang X, Yuan Y, Tan M, Zhang L, Xue X, Yan Y, Han L, Xu Z. BRG1 expression is increased in thoracic aortic aneurysms and regulates proliferation and apoptosis of vascular smooth muscle cells through the long non-coding RNA HIF1A-AS1 in vitro. *Eur J Cardiothorac Surg.* 2015 Mar;47(3):439-46.
205. Zhou R, Wu X, Wang Z, Ge J, Chen F. Interleukin-6 enhances acid-induced apoptosis via upregulating acid-sensing ion channel 1a expression and function in rat articular chondrocytes. *Int Immunopharmacol.* 2015 Dec;29(2):748-60.
206. Liu H, Wang J, Wang J, Wang P, Xue Y. Paeoniflorin attenuates $\text{A}\beta$ 1-42-induced inflammation and chemotaxis of microglia in vitro and inhibits NF- κ B- and VEGF/Flt-1 signaling pathways. *Brain Res.* 2015 Aug 27;1618:149-58.
207. Chen X, Lu PH, Liu L, Fang ZM, Duan W, Liu ZL, Wang CY, Zhou P, Yu XF, He WT. TIGIT negatively regulates inflammation by altering macrophage phenotype. *Immunobiology.* 2016 Jan;221(1):48-55.
208. Tang H, Gao L, Mao J, He H, Liu J, Cai X, Lin H, Wu T. Salidroside protects against bleomycin-induced pulmonary fibrosis: activation of Nrf2-antioxidant signaling, and inhibition of NF- κ B and TGF- β 1/ Smad-2/-3 pathways. *Cell Stress Chaperones.* 2016 Mar;21(2):239-49.
209. Yu CL, Zhao XM, Niu YC. Ferulic Acid Protects Against Lead Acetate-Induced Inhibition of Neurite Outgrowth by Upregulating HO-1 in PC12 Cells: Involvement of ERK1/2-Nrf2 Pathway. *Mol Neurobiol.* 2016 Nov;53(9):6489-500.
210. Zhang DQ, Sun P, Jin Q, Li X, Zhang Y, Zhang YJ, Wu YL, Nan JX, Lian LH. Resveratrol Regulates Activated Hepatic Stellate Cells by Modulating NF- κ B and the PI3K/Akt Signaling Pathway. *J Food Sci.* 2016 Jan;81(1):H240-5.
211. Zhao H, Zheng Q, Hu X, Shen H, Li F. Betulin attenuates kidney injury in septic rats through inhibiting TLR4/NF- κ B signaling pathway. *Life Sci.* 2016 Jan 1;144:185-93.
212. Zhang D, Liu H, Zeng J, Miao X, Huang W, Chen H, Huang Y, Li Y, Ye D. Glucocorticoid exposure in early placentation induces preeclampsia in rats via interfering trophoblast development. *Gen Comp Endocrinol.* 2016 Jan 1;225:61-70.
213. Cao TH, Jin SG, Fei DS, Kang K, Jiang L, Lian ZY, Pan SH, Zhao MR, Zhao MY. Artesunate Protects Against Sepsis-Induced Lung Injury Via Heme Oxygenase-1 Modulation. *Inflammation.* 2016 Apr;39(2):651-62.
214. Ye Z, Fang J, Dai S, Wang Y, Fu Z, Feng W, Wei Q, Huang P. MicroRNA-34a induces a senescence-like change via the down-regulation of SIRT1 and up-regulation of p53 protein in human esophageal squamous cancer cells with a wild-type p53 gene background. *Cancer Lett.* 2016 Jan 28;370(2):216-21.
215. Zhang D, Liu H, Zeng J, Miao X, Huang W, Chen H, Huang Y, Li Y, Ye D. Glucocorticoid exposure in early placentation induces preeclampsia in rats via interfering trophoblast development. *Gen Comp Endocrinol.* 2016 Jan 1;225:61-70.
216. Ye Z, Fang J, Dai S, Wang Y, Fu Z, Feng W, Wei Q, Huang P. MicroRNA-34a induces a senescence-like change via the down-regulation of SIRT1 and up-regulation of p53 protein in human esophageal squamous cancer cells with a wild-type p53 gene background. *Cancer Lett.* 2016 Jan 28;370(2):216-21.
217. Tang H, Gao L, Mao J, He H, Liu J, Cai X, Lin H, Wu T. Salidroside protects against bleomycin-induced pulmonary fibrosis: activation of Nrf2-antioxidant signaling, and inhibition of NF- κ B and TGF- β 1/ Smad-2/-3 pathways. *Cell Stress Chaperones.* 2016 Mar;21(2):239-49.
218. Chen X, Lu PH, Liu L, Fang ZM, Duan W, Liu ZL, Wang CY, Zhou P, Yu XF, He WT. TIGIT negatively regulates inflammation by altering macrophage phenotype. *Immunobiology.* 2016 Jan;221(1):48-55.
219. Cao TH, Jin SG, Fei DS, Kang K, Jiang L, Lian ZY, Pan SH, Zhao MR, Zhao MY. Artesunate Protects Against Sepsis-Induced Lung Injury Via Jan;29(1):54-61.
222. Yu CL, Zhao XM, Niu YC. Ferulic Acid Protects Against Lead Acetate-Induced Inhibition of Neurite Outgrowth by Upregulating HO-1 in PC12 Cells: Involvement of ERK1/2-Nrf2 Pathway. *Mol Neurobiol.* 2016 Nov;53(9):6489-500.
223. Zhang DQ, Sun P, Jin Q, Li X, Zhang Y, Zhang YJ, Wu YL, Nan JX, Lian LH. Resveratrol Regulates Activated Hepatic Stellate Cells by Modulating NF- κ B and the PI3K/Akt Signaling Pathway. *J Food Sci.* 2016 Jan;81(1):H240-5.

224. Jiang Q, Liu Z, Zhou Z, Wang L, Wang L, Yue F, Wang J, Wang H, Song L. Transcriptional activation and translocation of ancient NOS during immune response. *FASEB J*. 2016 Oct;30(10):3527-3540.
225. Jin W, Xu W, Chen J, Zhang X, Shi L, Ren C. Remote limb preconditioning protects against ischemia-induced neuronal death through ameliorating neuronal oxidative DNA damage and parthanatos. *J Neurol Sci*. 2016 Jul 15;366:8-17.
226. Kong L, Guo S, Liu C, Zhao Y, Feng C, Liu Y, Wang T, Li C. Overexpression of SDF-1 activates the NF- κ pathway to induce epithelial to mesenchymal transition and cancer stem cell-like phenotypes of breast cancer cells. *Int J Oncol*. 2016 Mar;48(3):1085-94.
227. Li H, Cui Y, Luan J, Zhang X, Li C, Zhou X, Shi L, Wang H, Han J. PRELP (proline/arginine-rich end leucine-rich repeat protein) promotes osteoblastic differentiation of preosteoblastic MC3T3-E1 cells by regulating the β -catenin pathway. *Biochem Biophys Res Commun*. 2016 Feb 12;470(3):558-62.
228. Ji L, Du Q, Li Y, Hu W. Puerarin inhibits the inflammatory response in atherosclerosis via modulation of the NF- κ B pathway in a rabbit model. *Pharmacol Rep*. 2016 Oct;68(5):1054-9.
229. Shen ZY, Sun Q, Xia ZY, Meng QT, Lei SQ, Zhao B, Tang LH, Xue R, Chen R. Overexpression of DJ-1 reduces oxidative stress and attenuates hypoxia/reoxygenation injury in NRK-52E cells exposed to high glucose. *Int J Mol Med*. 2016 Sep;38(3):729-36.
230. Liu H, Xu W, Chang X, Qin T, Yin Y, Yang Q. 4,4'-diaponeurosporene, a C30 carotenoid, effectively activates dendritic cells via CD36 and NF- κ B signaling in a ROS independent manner. *Oncotarget*. 2016 Jul 5;7(27):40978-40991.
231. Yan X, Wu L, Li B, Meng X, Dai H, Zheng Y, Fu J. Cyanidin-3-O-glucoside Induces Apoptosis and Inhibits Migration of Tumor Necrosis Factor- α -Treated Rat Aortic Smooth Muscle Cells. *Cardiovasc Toxicol*. 2016 Jul;16(3):251-9.
232. Fang Y, Su T, Qiu X, Mao P, Xu Y, Hu Z, Zhang Y, Zheng X, Xie P, Liu Q. Protective effect of alpha-mangostin against oxidative stress induced-retinal cell death. *Sci Rep*. 2016 Feb 18;6:21018.
233. Xie H, Yang J, Xing W, Dong Y, Ren H. Nuclear EGFRvIII resists hypoxic microenvironment induced apoptosis via recruiting ERK1/2 nuclear translocation. *Biochem Biophys Res Commun*. 2016 Feb 5;470(2):466-72.
234. Ye Z, Fang J, Dai S, Wang Y, Fu Z, Feng W, Wei Q, Huang P. MicroRNA-34a induces a senescence-like change via the down-regulation of SIRT1 and up-regulation of p53 protein in human esophageal squamous cancer cells with a wild-type p53 gene background. *Cancer Lett*. 2016 Jan 28;370(2):216-21.
235. Yu PJ, Wan LM, Wan SH, Chen WY, Xie H, Meng DM, Zhang JJ, Xiao XL. Standardized myrtle attenuates lipopolysaccharide induced acute lung injury in mice. *Pharm Biol*. 2016 Dec;54(12):3211-3216.
236. Dang Y, Mu Y, Wang K, Xu K, Yang J, Zhu Y, Luo B. Papaverine inhibits lipopolysaccharide-induced microglial activation by suppressing NF- κ B signaling pathway. *Drug Des Devel Ther*. 2016 Feb 26;10:851-9.
237. Cao W, Hong Y, Chen H, Wu F, Wei X, Ying W. SIRT2 mediates NADH-induced increases in Nrf2, GCL, and glutathione by modulating Akt phosphorylation in PC12 cells. *FEBS Lett*. 2016 Jul;590(14):2241-55.
238. Cui Z, Zhong Z, Yang Y, Wang B, Sun Y, Sun Q, Yang GY, Bian L. Ferrous Iron Induces Nrf2 Expression in Mouse Brain Astrocytes to Prevent Neurotoxicity. *J Biochem Mol Toxicol*. 2016 Aug;30(8):396-403.
239. Wang X, Chen E, Tang M, Yang X, Wang Y, Quan Z, Wu X, Luo C. The SMAD2/3 pathway is involved in hepaCAM-induced apoptosis by inhibiting the nuclear translocation of SMAD2/3 in bladder cancer cells. *Tumour Biol*. 2016 Aug;37(8):10731-43.
240. Zhang P, Huang C, Li J, Li T, Guo H, Liu T, Li N, Zhu Q, Guo Y. Globular CTRP9 inhibits oxLDL-induced inflammatory response in RAW 264.7 macrophages via AMPK activation. *Mol Cell Biochem*. 2016 Jun;417(1-2):67-74.
241. Wu T, Shi JX, Geng S, Zhou W, Shi Y, Su X. The MK2/HuR signaling pathway regulates TNF- α -induced ICAM-1 expression by promoting the stabilization of ICAM-1 mRNA. *BMC Pulm Med*. 2016 May 23;16(1):84.
242. Zheng J, Wu J, Chen J, Liu J, Lu Y, Huang C, Hu G, Wang X, Zeng Y. Therapeutic effects of quercetin on early inflammation in hypertriglyceridemia-related acute pancreatitis and its mechanism. *Pancreatol*. 2016 Mar-Apr;16(2):200-10.
243. Zhang N, Ye F, Zhu W, Hu D, Xiao C, Nan J, Su S, Wang Y, Liu M, Gao K, Hu X, Chen J, Yu H, Xie X, Wang J. Cardiac ankyrin repeat protein attenuates cardiomyocyte apoptosis by upregulation of Bcl-2 expression. *Biochim Biophys Acta*. 2016 Dec;1863(12):3040-3049.
244. Zhang DQ, Sun P, Jin Q, Li X, Zhang Y, Zhang YJ, Wu YL, Nan JX, Lian LH. Resveratrol Regulates Activated Hepatic Stellate Cells by Modulating NF- κ B and the PI3K/Akt Signaling Pathway. *J Food Sci*. 2016 Jan;81(1):H240-5.
245. Chen Z, Tang J, Cai X, Huang Y, Gao Q, Liang L, Tian L, Yang Y, Zheng Y, Hu Y, Tang N. HBx mutations promote hepatoma cell migration through the Wnt/ β -catenin signaling pathway. *Cancer Sci*. 2016 Oct;107(10):1380-1389.
246. Mehmood T, Maryam A, Zhang H, Li Y, Khan M, Ma T. Deoxyelephantopin induces apoptosis in HepG2 cells via oxidative stress, NF- κ B inhibition and mitochondrial dysfunction. *Biofactors*. 2016 Sep 15.
247. Tang H, Gao L, Mao J, He H, Liu J, Cai X, Lin H, Wu T. Salidroside protects against bleomycin-induced pulmonary fibrosis: activation of Nrf2-antioxidant signaling, and inhibition of NF- κ B and TGF- β 1/Smad-2/-3 pathways. *Cell Stress Chaperones*. 2016 Mar;21(2):239-49.
248. Han J, Xie Y, Sui F, Liu C, Du X, Liu C, Feng X, Jiang D. Zisheng Shenqi decoction ameliorates monosodium urate crystal-induced gouty arthritis in rats through anti-inflammatory and anti-oxidative effects. *Mol Med Rep*. 2016 Sep;14(3):2589-97.
249. Wei K, Xu Y, Zhao Z, Wu X, Du Y, Sun J, Yi T, Dong J, Liu B. Icaritin alters the expression of glucocorticoid receptor, FKBP5 and SGK1 in rat brains following exposure to chronic mild stress. *Int J Mol Med*. 2016 Jul;38(1):337-44.
250. Hong Z, Guo Z, Zhang R, Xu J, Dong W, Zhuang G, Deng C. Airborne Fine Particulate Matter Induces Oxidative Stress and Inflammation in Human Nasal Epithelial Cells. *Tohoku J Exp Med*. 2016;239(2):117-25.
251. Chen P, He D, Zhang Y, Yang S, Chen L, Wang S, Zou H, Liao Z, Zhang X, Wu M. Sargassum fusiforme polysaccharides activate antioxidant defense by promoting Nrf2-dependent cytoprotection and ameliorate stress insult during aging. *Food Funct*. 2016 Nov 9;7(11):4576-4588.
252. Zhao F, Wang YF, Song L, Jin JX, Zhang YQ, Gan HY, Yang KH. Synergistic Apoptotic Effect of D-Fraction From *Grifola frondosa* and Vitamin C on Hepatocellular Carcinoma SMMC-7721 Cells. *Integr Cancer Ther*. 2016 May 5.
253. Li ZY, Chen ZL, Zhang T, Wei C, Shi WY. TGF- β and NF- κ B signaling pathway cross-talk potentiates corneal epithelial senescence through an RNA stress response. *Aging (Albany NY)*. 2016 Oct 6;8(10):2337-2354.
254. Zhang LK, Xin QL, Zhu SL, Wan WW, Wang W, Xiao G. Activation of the RLR/MAVS Signaling Pathway by the L Protein of Mopeia Virus. *J Virol*. 2016 Oct 28;90(22):10259-10270.
255. Wu B, Yu H, Wang Y, Pan Z, Zhang Y, Li T, Li L, Zhang W, Ge L, Chen Y, Ho CK, Zhu D, Huang X, Lou Y. Peroxiredoxin-2 nitrosylation facilitates cardiomyogenesis of mouse embryonic stem cells via XBP-1s/PI3K pathway. *Free Radic Biol Med*. 2016 Aug;97:179-91.
256. Liao G, Gao B, Gao Y, Yang X, Cheng X, Ou Y. Phycocyanin Inhibits Tumorigenic Potential of Pancreatic Cancer Cells: Role of Apoptosis and Autophagy. *Sci Rep*. 2016 Oct 3;6:34564.
257. Xia X, Yu Y, Zhang L, Ma Y, Wang H. Inhibitor of DNA binding 1 regulates cell cycle progression of endothelial progenitor cells through induction of Wnt2 expression. *Mol Med Rep*. 2016 Sep;14(3):2016-24.
258. Chen RP, Huang ZL, Liu LX, Xiang MQ, Li GP, Feng JL, Liu B, Wu LF. Involvement of endoplasmic reticulum stress and p53 in lncRNA MEG3-induced human hepatoma HepG2 cell apoptosis. *Oncol Rep*. 2016 Sep;36(3):1649-57.
259. Yu CL, Zhao XM, Niu YC. Ferulic Acid Protects Against Lead Acetate-Induced Inhibition of Neurite Outgrowth by Upregulating HO-1 in PC12 Cells: Involvement of ERK1/2-Nrf2 Pathway. *Mol Neurobiol*. 2016 Nov;53(9):6489-6500.
260. Zhao H, Zheng Q, Hu X, Shen H, Li F. Betulin attenuates kidney injury in septic rats through inhibiting TLR4/NF- κ B signaling pathway. *Life Sci*. 2016 Jan 1;144:185-93.
261. Xie Z, Han P, Cui Z, Wang B, Zhong Z, Sun Y, Yang G, Sun Q, Bian L. Pretreatment of Mouse Neural Stem Cells with Carbon Monoxide-Releasing Molecule-2 Interferes with NF- κ B p65 Signaling and Suppresses Iron Overload-Induced Apoptosis. *Cell Mol Neurobiol*. 2016 Nov;36(8):1343-1351.
262. Jia Y, Wang H, Wang Q, Ding H, Wu H, Pan H. Silencing Nrf2 impairs glioma cell proliferation via AMPK-activated mTOR inhibition. *Biochem Biophys Res Commun*. 2016 Jan 15;469(3):665-71.
263. Yang M, Wang Y, Zhang Y, Zhang F, Zhao Z, Li S, Zhang J, Cao X, Zhang D. S-allylmercapto-L-cysteine modulates MUC5AC and AQP5 secretions in a COPD model via NF- κ B signaling pathway. *Int Immunopharmacol*. 2016 Oct;39:307-13.
264. Li S, Zhao G, Chen L, Ding Y, Lian J, Hong G, Lu Z. Resveratrol protects mice from paraquat-induced lung injury: The important role of SIRT1 and NRF2 antioxidant pathways. *Mol Med Rep*. 2016 Feb;13(2):1833-8.
265. Wang D, Xu N, Zhang Z, Yang S, Qiu C, Li C, Deng G, Guo M. Sophocarpine displays anti-inflammatory effect via inhibiting TLR4 and TLR4 downstream pathways on LPS-induced mastitis in the mammary gland of mice. *Int Immunopharmacol*. 2016 Jun;35:111-8.
266. Wang Z, Zhang H, Sun X, Ren L. The protective role of vitamin D3 in a murine model of asthma via the suppression of TGF- β /Smad signaling and activation of the Nrf2/HO-1 pathway. *Mol Med Rep*. 2016 Sep;14(3):2389-96.
267. Chen X, Lu PH, Liu L, Fang ZM, Duan W, Liu ZL, Wang CY, Zhou P, Yu XF, He WT. TIGIT negatively regulates inflammation by altering macrophage phenotype. *Immunobiology*. 2016 Jan;221(1):48-55.
268. Yan C, Sun W, Wang X, Long J, Liu X, Feng Z, Liu J. Punicalagin attenuates palmitate-induced lipotoxicity in HepG2 cells by activating the Keap1-Nrf2 antioxidant defense system. *Mol Nutr Food Res*. 2016 May;60(5):1139-49.
269. Shao AW, Sun H, Geng Y, Peng Q, Wang P, Chen J, Xiong T, Cao R, Tang J. Bclaf1 is an important NF- κ B signaling transducer and C/EBP β regulator in DNA damage-induced senescence. *Cell Death Differ*. 2016 May;23(5):865-75.
270. Feng R, Wang M, Yan C, Li P, Chen M, He C, Wan JB. Endogenous n-3 Fatty Acids Alleviate Carbon-Tetrachloride-Induced Acute Liver Injury in Fat-1 Transgenic Mice. *Oxid Med Cell Longev*. 2016;2016:7962948.
271. Zong M, Fan DD, Lin S, Song YP, Wang ZY, Ma XL, Qiu WH, Bai YH, Li L, Li S. Anti-cancer activity and potential mechanism of a novel aspirin derivative. *Eur J Pharmacol*. 2016 Nov 15;791:137-146.
272. Song S, Yi Z, Zhang M, Mao M, Fu L, Zhao X, Liu Z, Gao J, Cao W, Liu Y, Shi H, Zhu D. Hypoxia inhibits pulmonary artery endothelial cell apoptosis via the e-selectin/biliverdin reductase pathway. *Microvasc Res*. 2016 Jul;106:44-56.
273. Wang J, Li J, Liu J, Xu M, Tong X, Wang J. Chlorogenic acid prevents isoproterenol-induced DNA damage in vascular smooth muscle cells. *Mol Med Rep*.

- 2016 Nov;14(5): 4063-8.
274. Kang L, Zhao H, Chen C, Zhang X, Xu M, Duan H. Sappanone A protects mice against cisplatin-induced kidney injury. *Int Immunopharmacol.* 2016 Sep;38:246-51.
275. Cao TH, Jin SG, Fei DS, Kang K, Jiang L, Lian ZY, Pan SH, Zhao MR, Zhao MY. Artesunate Protects Against Sepsis-Induced Lung Injury Via Heme Oxygenase-1 Modulation. *Inflammation.* 2016 Apr;39(2): 651-62.
276. Zhou Y, Wang Y, Wen J, Zhao H, Dong X, Zhang Z, Wang S, Shen L. Aquaporin 3 promotes the stem-like properties of gastric cancer cells via Wnt/GSK-3 β /catenin pathway. *Oncotarget.* 2016 Mar 29;7(13):16529-41.
277. Yu Y, He J, Li S, Song L, Guo X, Yao W, Zou D, Gao X, Liu Y, Bai F, Ren G, Li D. Fibroblast growth factor 21 (FGF21) inhibits macrophage-mediated inflammation by activating Nrf2 and suppressing the NF- κ B signaling pathway. *Int Immunopharmacol.* 2016 Sep;38:144-52.
278. Liu MH, Zhang Y, He J, Tan TP, Wu SJ, Guo DM, He H, Peng J, Tang ZH, Jiang ZS. Hydrogen sulfide protects H9c2 cardiac cells against doxorubicin-induced cytotoxicity through the PI3K/Akt/FoxO3a pathway. *Int J Mol Med.* 2016 Jun;37(6):1661-8.
279. Wang Y, Miao Y, Mir AZ, Cheng L, Wang L, Zhao L, Cui Q, Zhao W, Wang H. Inhibition of beta-amyloid-induced neurotoxicity by pinoembriin through Nrf2/HO-1 pathway in SH-SY5Y cells. *J Neurol Sci.* 2016 Sep 15;368:223-30.
280. Zhou W, Tian D, He J, Wang Y, Zhang L, Cui L, Jia L, Zhang L, Li L, Shu Y, Yu S, Zhao J, Yuan X, Peng S. Repeated PM2.5 exposure inhibits BEAS-2B cell P53 expression through ROS-Akt-DNMT3B pathway-mediated promoter hypermethylation. *Oncotarget.* 2016 Apr 12;7(15):20691-703.
281. Li Y, He Z, Shi S, Zhang Y, Chen D, Zhang W, Zhang L. Scp3 expression in relation to the ovarian differentiation in the protogynous hermaphroditic ricefield eel *Monopterus albus*. *Fish Physiol Biochem.* 2016 Dec;42(6):1609-1619.
282. Ma C, Song H, Yu L, Guan K, Hu P, Li Y, Xia X, Li J, Jiang S, Li F. miR-762 promotes porcine immature Sertoli cell growth via the ring finger protein 4 (RNF4) gene. *Sci Rep.* 2016 Sep 6;6:32783.
283. Zhao H, Liu Z, Liu W, Han X, Zhao M. Betulin attenuates lung and liver injuries in sepsis. *Int Immunopharmacol.* 2016 Jan;30:50-6.
284. Zhu W, Xu J, Jiang C, Wang B, Geng M, Wu X, Hussain N, Gao N, Han Y, Li D, Lan X, Ning Q, Zhang F, Holmdahl R, Meng L, Lu S. Pristane induces autophagy in macrophages, promoting a STAT1-IRF1-TLR3 pathway and arthritis. *Clin Immunol.* 2016 Dec 7;175:56-68.
285. Wang Y, Cao J, Fan Y, Xie Y, Xu Z, Yin Z, Gao L, Wang C. Artemisinin inhibits monocyte adhesion to HUVECs through the NF- κ B and MAPK pathways in vitro. *Int J Mol Med.* 2016 Jun;37(6):1567-75.
286. Hong H, Jiang L, Lin Y, He C, Zhu G, Du Q, Wang X, She F, Chen Y. TNF- α promotes lymphangiogenesis and lymphatic metastasis of gallbladder cancer through the ERK1/2/AP-1/VEGF-D pathway. *BMC Cancer.* 2016 Mar 19;16:240.
287. Zhan J, Qin W, Zhang Y, Jiang J, Ma H, Li Q, Luo Y. Upregulation of neuronal zinc finger protein A20 expression is required for electroacupuncture to attenuate the cerebral inflammatory injury mediated by the nuclear factor- κ B signaling pathway in cerebral ischemia/reperfusion rats. *J Neuroinflammation.* 2016 Oct 3;13(1):258.
288. Xia JB, Liu GH, Chen ZY, Mao CZ, Zhou DC, Wu HY, Park KS, Zhao H, Kim SK, Cai DQ, Qi XF. Hypoxia/ischemia promotes CXCL10 expression in cardiac microvascular endothelial cells by NF- κ B activation. *Cytokine.* 2016 May;81:63-70.
289. Zhang D, Liu H, Zeng J, Miao X, Huang W, Chen H, Huang Y, Li Y, Ye D. Glucocorticoid exposure in early placentation induces preeclampsia in rats via interfering trophoblast development. *Gen Comp Endocrinol.* 2016 Jan 1;225:61-70.
290. Wang Y, Wu Y, Wang Y, Fu A, Gong L, Li W, Li Y. *Bacillus amyloliquefaciens* SC06 alleviates the oxidative stress of IPEC-1 via modulating Nrf2/Keap1 signaling pathway and decreasing ROS production. *Appl Microbiol Biotechnol.* 2016 Dec 12.
291. Liu N, Zang S, Liu Y, Wang Y, Li W, Liu Q, Ji M, Ma D, Ji C. FZD7 regulates BMSCs-mediated protection of CML cells. *Oncotarget.* 2016 Feb 2;7(5):6175-87.
292. Zhang J, Zhang Y, Xiao F, Liu Y, Wang J, Gao H, Rong S, Yao Y, Li J, Xu G. The peroxisome proliferator-activated receptor γ agonist pioglitazone prevents NF- κ B activation in cisplatin nephrotoxicity through the reduction of p65 acetylation via the AMPK-SIRT1/p300 pathway. *Biochem Pharmacol.* 2016 Feb 1;101:100-11.
293. Zhang LM, Liu JH, Xue CB, Li MQ, Xing S, Zhang X, He WT, Jiang FC, Lu X, Zhou P. Pharmacological inhibition of MyD88 homodimerization counteracts renal ischemia reperfusion-induced progressive renal injury in vivo and in vitro. *Sci Rep.* 2016 Jun 1;6:26954.
294. Liu X, Li Z, Song Y, Wang R, Han L, Wang Q, Jiang K, Kang C, Zhang Q. AURKA induces EMT by regulating histone modification through Wnt/ β -catenin and PI3K/Akt signaling pathway in gastric cancer. *Oncotarget.* 2016 May 31;7(22):33152-64.
295. Yu H, Shi L, Zhao S, Sun Y, Gao Y, Sun Y, Qi G. Triptolide Attenuates Myocardial Ischemia/Reperfusion Injuries in Rats by Inducing the Activation of Nrf2/HO-1 Defense Pathway. *Cardiovasc Toxicol.* 2016 Oct;16(4):325-35.
296. Ren YX, Yang J, Sun RM, Zhang LJ, Zhao LF, Li BZ, Li L, Long HT, Sun QM, Huang YC, Li XJ. Viral IL-10 down-regulates the "MHC-I antigen processing operon" through the NF- κ B signaling pathway in nasopharyngeal carcinoma cells. *Cytotechnology.* 2016 Dec;68(6):2625-2636.
297. Zhao J, Shu P, Duan F, Wang X, Min L, Shen Z, Ruan Y, Qin J, Sun Y, Qin X. Loss of OLFM4 promotes tumor migration through inducing interleukin-8 expression and predicts lymph node metastasis in early gastric cancer. *Oncogenesis.* 2016 Jun 13;5(6):e234.
298. Liu W, Jiang HL, Cai LL, Yan M, Dong SJ, Mao B. Tanreqing Injection Attenuates Lipopolysaccharide-Induced Airway Inflammation through MAPK/NF- κ B Signaling Pathways in Rats Model. *Evid Based Complement Alternat Med.* 2016;2016:5292346.
299. Yang Y, Wang H, Li L, Li X, Wang Q, Ding H, Wang X, Ye Z, Wu L, Zhang X, Zhou M, Pan H. Sinomenine Provides Neuroprotection in Model of Traumatic Brain Injury via the Nrf2-ARE Pathway. *Front Neurosci.* 2016 Dec 23;10:580.
300. Jiang L, Zhang L, Kang K, Fei D, Gong R, Cao Y, Pan S, Zhao M, Zhao M. Resveratrol ameliorates LPS-induced acute lung injury via NLRP3 inflammasome modulation. *Biomed Pharmacother.* 2016 Dec;84:130-138.
301. Gui YZ, Yan H, Gao F, Xi C, Li HH, Wang YP. Betulin attenuates atherosclerosis in apoE-/- mice by up-regulating ABCA1 and ABCG1. *Acta Pharmacol Sin.* 2016 Sep;37(10):1337-1348.
302. Yu C, Tang W, Wang Y, Shen Q, Wang B, Cai C, Meng X, Zou F. Downregulation of ACE2/Ang-(1-7)/Mas axis promotes breast cancer metastasis by enhancing store-operated calcium entry. *Cancer Lett.* 2016 Jul 1;376(2):268-77.
303. Li X, Hu H, Wang Y, Xue M, Li X, Cheng W, Xuan Y, Yin J, Yang N, Yan S. Valsartan ameliorates KIR2.1 in rats with myocardial infarction via the NF- κ B-miR-16 pathway. *Gene.* 2016 Sep 30;590(2):201-9.
304. Huang J, Guo P, Ma D, Lin X, Fang Q, Wang J. Overexpression of heme oxygenase-1 induced by constitutively activated NF- κ B as a potential therapeutic target for activated B-cell-like diffuse large B-cell lymphoma. *Int J Oncol.* 2016 Jul;49(1):253-64.
305. Jiang L, Fei D, Gong R, Yang W, Yu W, Pan S, Zhao M, Zhao M. CORM-2 inhibits TXNIP/NLRP3 inflammasome pathway in LPS-induced acute lung injury. *Inflamm Res.* 2016 Nov;65(11):905-915.
306. Gao N, Zhong J, Wang X, Jin Z, Li W, Liu Y, Diao Y, Wang Z, Jiang W, Jin G. Immunomodulatory and Antitumor Effects of a Novel TLR7 Agonist Combined with Lapatinib. *Sci Rep.* 2016 Dec 21;6:39598.
307. Li M, Wang N, Zhang J, He HP, Gong HQ, Zhang R, Song TF, Zhang LN, Guo ZX, Cao DS, Zhang TC. MicroRNA-29a-3p attenuates ET-1-induced hypertrophic responses in H9c2 cardiomyocytes. *Gene.* 2016 Jul 1;585(1):44-50.
308. Wang XM, Wang YC, Liu XJ, Wang Q, Zhang CM, Zhang LP, Liu H, Zhang XY, Mao Y, Ge ZM. BRD7 mediates hyperglycaemia-induced myocardial apoptosis via endoplasmic reticulum stress signalling pathway. *J Cell Mol Med.* 2016 Jun;11(6):3735-3742.
309. Hu X, Guo W, Chen S, Xu Y, Li P, Wang H, Chu H, Li J, DU Y, Chen X, Zhang G, Zhao G. Silencing of AP-4 inhibits proliferation, induces cell cycle arrest and promotes apoptosis in human lung cancer cells. *Oncol Lett.* 2016 Jun;11(6):3735-3742.
310. Zhang J, Liu X, Lin Y, Li Y, Pan J, Zong S, Li Y, Zhou Y. HnRNP K contributes to drug resistance in acute myeloid leukemia through the regulation of autophagy. *Exp Hematol.* 2016 Sep;44(9):850-6.
311. Wang C, Ji L, Yuan X, Jin Y, Cardona CJ, Xing Z. Differential Regulation of TLR Signaling on the Induction of Antiviral Interferons in Human Intestinal Epithelial Cells Infected with Enterovirus 71. *PLoS One.* 2016 Mar 23;11(3):e0152177.
312. Zhang Y, Mu Q, Zhou Z, Song H, Zhang Y, Wu F, Jiang M, Wang F, Zhang W, Li L, Shao L, Wang X, Li S, Yang L, Wu Q, Zhang M, Tang D. Protective Effect of Irisin on Atherosclerosis via Suppressing Oxidized Low Density Lipoprotein Induced Vascular Inflammation and Endothelial Dysfunction. *PLoS One.* 2016 Jun 29;11(6):e0158038.
313. Hou C, Wang Y, Zhu E, Yan C, Zhao L, Wang X, Qiu Y, Shen H, Sun X, Feng Z, Liu J, Long J. Coral calcium hydride prevents hepatic steatosis in high fat diet-induced obese rats: A potent mitochondrial nutrient and phase II enzyme inducer. *Biochem Pharmacol.* 2016 Mar 1;103:85-97.
314. Han L, Zhang M, Wang M, Jia J, Zhao M, Fan Y, Li X. High Mobility Group Box-1 Promotes Inflammation-Induced Lymphangiogenesis via Toll-Like Receptor 4-Dependent Signaling Pathway. *PLoS One.* 2016 Apr 21;11(4):e0154187.
315. Huang GH, Yang XT, Chen K, Xing J, Guo L, Zhu L, Li HJ, Li XC, Zhang SY, Feng DF. Porf-2 Inhibits Neural Stem Cell Proliferation Through Wnt/ β -Catenin Pathway by Its GAP Domain. *Front Cell Neurosci.* 2016 Mar 31;10:85.
316. Hou CL, Wang MJ, Sun C, Huang Y, Jin S, Mu XP, Chen Y, Zhu YC. Protective Effects of Hydrogen Sulfide in the Ageing Kidney. *Oxid Med Cell Longev.* 2016;2016:7570489.
317. Lu C, Yang Y, Zhao R, Hua B, Xu C, Yan Z, Sun N, Qian R. Role of circadian gene Clock during differentiation of mouse pluripotent stem cells. *Protein Cell.* 2016 Nov;7(11):820-832.
318. Zhao JX, Zhang QS, Chen Y, Yao SJ, Yan YX, Wang Y, Zhang JX, Wang LA. Iso-suillin from *Suillus flavus* Induces Apoptosis in Human Small Cell Lung Cancer H446 Cell Line. *Chin Med J (Engl).* 2016 May 20;129(10):1215-23.
319. Lingzi X, Zhihua Y, Xuelian L, Yangwu R, Haibo Z, Yuxia Z, Baosen Z. Genetic variants in microRNAs predict non-small cell lung cancer prognosis in Chinese female population in a prospective cohort study. *Oncotarget.* 2016 Dec 13;7(50):83101-83114.
320. Zhao N, Li S, Wang R, Xiao M, Meng Y, Zeng C, Fang JH, Yang J, Zhuang SM. Expression of microRNA-195 is transactivated by Sp1 but inhibited by histone deacetylase 3 in hepatocellular carcinoma cells. *Biochim Biophys Acta.* 2016 Jul;1859(7):933-42.
321. Wan C, Ping CY, Shang XY, Tian JT, Zhao SH, Li L, Fang SH, Sun W, Zhao YF, Li ZY, Xu YW, Mu LL, Wang JH, Kong QF, Wang GY, Li HL, Sun B. MicroRNA 182 inhibits CD4+CD25+Foxp3+ Treg differentiation in experimental autoimmune encephalomyelitis. *Clin Immunol.* 2016 Dec;173:109-116.

322. Sun Y, Peng R, Peng H, Liu H, Wen L, Wu T, Yi H, Li A, Zhang Z. miR-451 suppresses the NF-kappaB-mediated proinflammatory molecules expression through inhibiting LMP7 in diabetic nephropathy. *Mol Cell Endocrinol*. 2016 Sep 15;433:75-86.
323. Rui W, Guan L, Zhang F, Zhang W, Ding W. PM2.5-induced oxidative stress increases adhesion molecules expression in human endothelial cells through the ERK/AKT/NF-kB-dependent pathway. *J Appl Toxicol*. 2016 Jan;36(1):48-59.
324. Huang X, He Z, Jiang X, Hou M, Tang Z, Zhen X, Liang Y, Ma J. Folic Acid Represses Hypoxia-Induced Inflammation in THP-1 Cells through Inhibition of the PI3K/Akt/HIF-1 α Pathway. *PLoS One*. 2016 Mar 14;11(3):e0151553.
325. Li-Mei W, Jie T, Shan-He W, Dong-Mei M, Peng-Jiu Y. Anti-inflammatory and Anti-oxidative Effects of Dexpanthenol on Lipopolysaccharide Induced Acute Lung Injury in Mice. *Inflammation*. 2016 Oct;39(5):1757-63.
326. Peng Y, Lai M, Lou Y, Liu Y, Wang H, Zheng X. Efficient induction of cross-presenting human B cell by transduction with human adenovirus type 7 vector. *Immunol Lett*. 2016 Jan;169:41-51.
327. Cheng D, Zhang X, Meng M, Han L, Li Z, Hou L, Qi W, Wang C. The protective effect of a buckwheat-enriched diet on renal injury in high salt-induced hypertension in rats. *Food Funct*. 2016 Aug 10;7(8):3548-54.
328. Zhong X, Luo G, Zhou X, Luo W, Wu X, Zhong R, Wang Y, Xu F, Wang J. Rad51 in regulating the radiosensitivity of non-small cell lung cancer with different epidermal growth factor receptor mutation status. *Thorac Cancer*. 2016 Jan;7(1):50-60.
329. Xu Y, Yang B, Hu Y, Lu L, Lu X, Wang J, Shu Q, Cheng Q, Yu S, Xu F, Huang J, Liang X. Secretion of Down Syndrome Critical Region 1 Isoform 4 in Ischemic Retinal Ganglion Cells Displays Anti-Angiogenic Properties Via NFATc1-Dependent Pathway. *Mol Neurobiol*. 2016 Oct 12.
330. Li X, Han D, Tian Z, Gao B, Fan M, Li C, Li X, Wang Y, Ma S, Cao F. Activation of Cannabinoid Receptor Type II by AM1241 Ameliorates Myocardial Fibrosis via Nrf2-Mediated Inhibition of TGF- β 1/Smad3 Pathway in Myocardial Infarction Mice. *Cell Physiol Biochem*. 2016;39(4):1521-36.
331. Li L, Sun W, Wu T, Lu R, Shi B. Caffeic acid phenethyl ester attenuates lipopolysaccharide-stimulated proinflammatory responses in humangingival fibroblasts via NF-kB and PI3K/Akt signaling pathway. *Eur J Pharmacol*. 2017 Jan 5;794:61-68.
332. He H, Wei Z, Du F, Meng C, Zheng D, Lai Y, Yao H, Zhou H, Wang N, Luo XG, Ma W, Zhang TC. Transcription of HOTAIR is regulated by RhoC-MRTF-A-SRF signaling pathway in human breast cancer cells. *Cell Signal*. 2017 Feb;31:87-95.
333. Dong H, Guo H, Liang Y, Wang X, Niu Y. Astragaloside IV synergizes with ferulic acid to suppress hepatic stellate cells activation in vitro. *Free Radic Res*. 2017 Feb;51(2):167-178.
334. Zhu SL, Chen X, Wang LJ, Wan WW, Xin QL, Wang W, Xiao G, Zhang LK. Global quantitative proteomic analysis profiles host protein expression in response to Sendai virus infection. *Proteomics*. 2017 Mar;17(5). doi: 10.1002/pmic.201600239.
335. Wang T, Ning K, Lu TX, Hua D. Elevated expression of TrpC5 and GLUT1 is associated with chemoresistance in colorectal cancer. *Oncol Rep*. 2017 Feb;37(2):1059-1065.
336. Wang Z, Xiong L, Wang G, Wan W, Zhong C, Zu H. Insulin-like growth factor-1 protects SH-SY5Y cells against β -amyloid-induced apoptosis via the PI3K/Akt-Nrf2 pathway. *Exp Gerontol*. 2017 Jan;87(Pt A):23-32.
337. Zhang Y, Gao L, Cheng Z, Cai J, Niu Y, Meng W, Zhao Q. Kukoamine A Prevents Radiation-Induced Neuroinflammation and Preserves Hippocampal Neurogenesis in Rats by Inhibiting Activation of NF-kB and AP-1. *Neurotox Res*. 2017 Feb;31(2):259-268.
338. Shen H, Wu N, Liu Z, Zhao H, Zhao M. Epigallocatechin-3-gallate alleviates paraquat-induced acute lung injury and inhibits upregulation of toll-like receptors. *Life Sci*. 2017 Feb 1;170:25-32.
339. Xia J, Yu X, Song X, Li G, Mao X, Zhang Y. Inhibiting the cytoplasmic location of HMGB1 reverses cisplatin resistance in human cervical cancer cells. *Mol Med Rep*. 2017 Jan;15(1):488-494.
340. Zhu Y, Tong HL, Li SF, Yan YQ. Effect of TCEA3 on the differentiation of bovine skeletal muscle satellite cells. *Biochem Biophys Res Commun*. 2017 Mar 18;484(4):827-832.
341. Li M, Liu X, He Y, Zheng Q, Wang M, Wu Y, Zhang Y, Wang C. Celastrol attenuates angiotensin II mediated human umbilical vein endothelial cells damage through activation of Nrf2/ERK1/2/Nox2 signal pathway. *Eur J Pharmacol*. 2017 Jan 21;797:124-133.
342. Lai D, Gao J, Bi X, He H, Shi X, Weng S, Chen Y, Yang Y, Ye Y, Fu G. Erratum to: The Rho kinase inhibitor, fasudil, ameliorates diabetes-induced cardiac dysfunction by improving calcium clearance and actin remodeling. *J Mol Med (Berl)*. 2017 Feb;95(2):167.
343. Huang H, Chen Z, Ni X. Tissue transglutaminase-1 promotes stemness and chemoresistance in gastric cancer cells by regulating Wnt/ β -catenin signaling. *Exp Biol Med (Maywood)*. 2017 Jan;242(2):194-202.
344. Wang Y, Gu YH, Liu M, Bai Y, Wang HL. Fluoxetine protects against methamphetamine induced lung inflammation by suppressing oxidative stress through the SERT/p38 MAPK/Nrf2 pathway in rats. *Mol Med Rep*. 2017 Feb;15(2):673-680.
345. Lu C, Zou Y, Liu Y, Niu Y. Rosmarinic acid counteracts activation of hepatic stellate cells via inhibiting the ROS-dependent MMP-2 activity: Involvement of Nrf2 antioxidant system. *Toxicol Appl Pharmacol*. 2017 Mar 1;318:69-78.
346. Yi H, Peng R, Zhang LY, Sun Y, Peng HM, Liu HD, Yu LJ, Li AL, Zhang YJ, Jiang WH, Zhang Z. LincRNA-Gm4419 knockdown ameliorates NF-kB/NLRP3 inflammasome-mediated inflammation in diabetic nephropathy. *Cell Death Dis*. 2017 Feb 2;8(2):e2583.
347. Jiang CY, Wang W. Resistin aggravates the expression of proinflammatory cytokines in cerulein stimulated AR42J pancreatic acinar cells. *Mol Med Rep*. 2017 Jan;15(1):502-506.
348. Wang Q, Jiang H, Li Y, Chen W, Li H, Peng K, Zhang Z, Sun X. Targeting NF-kB signaling with polymeric hybrid micelles that co-deliver siRNA and dexamethasone for arthritis therapy. *Biomaterials*. 2017 Apr;122:10-22.
349. Yousif NG, Hadi NR, Al-Amran F, Zigam QA. Cardioprotective effects of irbesartan in polymicrobial sepsis: The role of the p38MAPK/NF-kB signaling pathway. *Herz*. 2017 Jan 31. doi: 10.1007/s00059-017-4537-6. [Epub ahead of print]
350. Liu F, Ni JJ, Sun FY. Expression of Phospho-MeCP2s in the Developing Rat Brain and Function of Postnatal MeCP2 in Cerebellar Neural Cell Development. *Neurosci Bull*. 2017 Feb;33(1):1-16.
351. Deng C, Chen J, Guo S, Wang Y, Zhou Q, Li Z, Yang X, Yu X, Zhang Z, Zhou F, Han H, Yao K. CX4945 suppresses the growth of castration-resistant prostate cancer cells by reducing AR-V7 expression. *World J Urol*. 2017 Jan 19. doi: 10.1007/s00345-016-1996-y. [Epub ahead of print]
352. Cheng D, Wang R, Wang C, Hou L. Mung bean (*Phaseolus radiatus* L.) polyphenol extract attenuates aluminum-induced cardiotoxicity through an ROS-triggered Ca²⁺/JNK/NF-kB signaling pathway in rats. *Food Funct*. 2017 Feb 22;8(2):851-859.
353. Xu W, Lu C, Yao L, Zhang F, Shao J, Zheng S. Dihydroartemisinin protects against alcoholic liver injury through alleviating hepatocyte steatosis in a farnesoid X receptor-dependent manner. *Toxicol Appl Pharmacol*. 2017 Jan 15;315:23-34.

注：更多使用本产品的文献请参考产品网页。

Version 2017.04.18